

2024 STEP THERAPY CRITERIA

TABLE OF CONTENTS

Aciphex.....	7
Admelog.....	5
Admelog Solostar.....	5
Apidra.....	5
Apidra Solostar.....	5
Crestor.....	12
Detrol.....	25
Detrol LA.....	26
Fiasp.....	5
Fiasp Flextouch.....	5
Fiasp Penfill.....	5
Fiasp Pumpcart.....	5
Frova.....	17
Imitrex Nasal Spray.....	19
Imitrex Statdose System.....	18
Imitrex Tablet.....	20
Insulin Aspart.....	5
Insulin Aspart Flexpen.....	5
Insulin Aspart Penfill.....	5
Insulin Aspart Protamine/Insulin Aspart.....	3
Insulin Aspart Protamine/Insulin Aspart Flexpen.....	3
Insulin Lispro.....	5
Insulin Lispro Junior Kwikpen.....	5
Insulin Lispro Kwikpen.....	5
Insulin Lispro Protamine/Insulin Lispro Kwikpen.....	3
Lescol XL.....	13
Lipitor.....	14
Maxalt.....	21
Maxalt-MLT.....	21
Nexium.....	8
Novolin 70/30.....	3
Novolin 70/30 Flexpen.....	3
Novolin 70/30 Flexpen Relion.....	3
Novolin 70/30 Relion.....	3
Novolin N.....	4
Novolin N Flexpen.....	4
Novolin N Flexpen Relion.....	4
Novolin N Relion.....	4
Novolin R.....	6
Novolin R Flexpen.....	6
Novolin R Flexpen Relion.....	6
Novolin R Relion.....	6

Novolog	5
Novolog Flexpen	5
Novolog Flexpen Relion	5
Novolog Mix 70/30	3
Novolog Mix 70/30 Prefilled Flexpen.....	3
Novolog Mix 70/30 Prefilled Flexpen Relion.....	3
Novolog Mix 70/30 Relion	3
Novolog Penfill	5
Novolog Relion	5
Prevacid.....	9
Prevacid Solutab	9
Protonix.....	10
Relpax.....	22
Toviaz	27
Treximet	23
Vesicare.....	28
Vytorin.....	15
Zegerid	11
Zocor	16
Zomig	24

Step Therapy Group:

Insulin ST – Combinations

Drug Name(s)

Insulin Aspart Protamine/Insulin Aspart

Insulin Aspart Protamine/Insulin Aspart Flexpen

Insulin Lispro Protamine/Insulin Lispro Kwikpen

Novolin 70/30

Novolin 70/30 Flexpen

Novolin 70/30 Flexpen Relion

Novolin 70/30 Relion

Novolog Mix 70/30

Novolog Mix 70/30 Prefilled Flexpen

Novolog Mix 70/30 Prefilled Flexpen Relion

Novolog Mix 70/30 Relion

Criteria:

Criteria for approval require the following:

1. ONE of the following:

A. There is evidence of a claim that the patient is currently being treated with the requested agent within the past 90 days OR

B. Prescriber states the patient is currently being treated with the requested agent within the past 90 days OR

C. Patient’s medication history includes use of a preferred Mix insulin (Humalog Mix or Humulin 70/30) within the past 90 days OR

D. Patient has an intolerance or hypersensitivity to a preferred Mix insulin (Humalog Mix or Humulin 70/30) OR

E. Patient had an ineffective treatment response to a preferred Mix insulin (Humalog Mix or Humulin 70/30) OR

F. Patient has an FDA labeled contraindication to a preferred Mix insulin (Humalog Mix or Humulin 70/30)

Medication subject to step therapy will be covered when the above criteria are met.

Approval authorizations will apply to the requested medication only.

Step Therapy Group:

Insulin ST - Intermediate Acting

Drug Name(s)

Novolin N

Novolin N Flexpen

Novolin N Flexpen Relion

Novolin N Relion

Criteria:

Criteria for approval require the following:

1. ONE of the following:

- A. There is evidence of a claim that the patient is currently being treated with the requested agent within the past 90 days OR
- B. Prescriber states the patient is currently being treated with the requested agent within the past 90 days OR
- C. Patient's medication history includes use of a preferred NPH insulin (Humulin N) within the past 90 days OR
- D. Patient has an intolerance or hypersensitivity to a preferred NPH insulin (Humulin N) OR
- E. Patient had an ineffective treatment response to a preferred NPH insulin (Humulin N) OR
- F. Patient has an FDA labeled contraindication to a preferred NPH insulin (Humulin N)

Medication subject to step therapy will be covered when the above criteria are met.

Approval authorizations will apply to the requested medication only.

Step Therapy Group:

Insulin ST - Rapid Acting

Drug Name(s)

Admelog

Admelog Solostar

Apidra

Apidra Solostar

Fiasp

Fiasp Flextouch

Fiasp Penfill

Fiasp Pumpcart

Insulin Aspart

Insulin Aspart Flexpen

Insulin Aspart Penfill

Insulin Lispro

Insulin Lispro Junior Kwikpen

Insulin Lispro Kwikpen

Novolog

Novolog Flexpen

Novolog Flexpen Relion

Novolog Penfill

Novolog Relion

Criteria:

Criteria for approval require the following:

1. ONE of the following:

- A. There is evidence of a claim that the patient is currently being treated with the requested agent within the past 90 days OR
- B. Prescriber states the patient is currently being treated with the requested agent within the past 90 days OR
- C. Patient's medication history includes use of a preferred rapid insulin (Humalog or Lyumjev) within the past 90 days OR
- D. Patient has an intolerance or hypersensitivity to a preferred rapid insulin (Humalog or Lyumjev) OR
- E. Patient had an ineffective treatment response to a preferred rapid insulin (Humalog or Lyumjev) OR
- F. Patient has an FDA labeled contraindication to a preferred rapid insulin (Humalog or Lyumjev)

Medication subject to step therapy will be covered when the above criteria are met.

Approval authorizations will apply to the requested medication only.

Step Therapy Group:

Insulin ST - Short Acting

Drug Name(s)

Novolin R

Novolin R Flexpen

Novolin R Flexpen Relion

Novolin R Relion

Criteria:

Criteria for approval require the following:

1. ONE of the following:

- A. There is evidence of a claim that the patient is currently being treated with the requested agent within the past 90 days OR
- B. Prescriber states the patient is currently being treated with the requested agent within the past 90 days OR
- C. Patient's medication history includes use of a preferred regular insulin (Humulin R) within the past 90 days OR
- D. Patient has an intolerance or hypersensitivity to a preferred regular insulin (Humulin R) OR
- E. Patient had an ineffective treatment response to a preferred regular insulin (Humulin R) OR
- F. Patient has an FDA labeled contraindication to a preferred regular insulin (Humulin R)

Medication subject to step therapy will be covered when the above criteria are met.

Approval authorizations will apply to the requested medication only.

Step Therapy Group:

PPI ST – Aciphex

Drug Name(s)

Aciphex

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

PPI ST – Nexium

Drug Name(s)

Nexium

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

PPI ST – Prevacid

Drug Name(s)

Prevacid

Prevacid Solutab

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

PPI ST – Protonix

Drug Name(s)

Protonix

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

PPI ST – Zegerid

Drug Name(s)

Zegerid

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Statins ST – Crestor

Drug Name(s)

Crestor

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Statins ST - Lescol XL

Drug Name(s)

Lescol XL

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Statins ST – Lipitor

Drug Name(s)

Lipitor

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Statins ST – Vytorin

Drug Name(s)

Vytorin

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Statins ST – Zocor

Drug Name(s)

Zocor

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Triptans ST – Frova

Drug Name(s)

Frova

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Triptans ST - Imitrex injectable

Drug Name(s)

Imitrex Statdose System

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Triptans ST - Imitrex nasal spray

Drug Name(s)

Imitrex Nasal Spray

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Triptans ST - Imitrex tablet

Drug Name(s)

Imitrex Tablet

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Triptans ST – Maxalt

Drug Name(s)

Maxalt

Maxalt-MLT

Criteria:

Criteria for approval require ONE of the following:

1. Patient’s medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Triptans ST – Relpax

Drug Name(s)

Relpax

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Triptans ST – Treximet

Drug Name(s)

Treximet

Criteria:

Criteria for approval require ONE of the following:

1. Patient’s medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Triptans ST – Zomig

Drug Name(s)

Zomig

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Urinary Incontinence ST - Detrol

Drug Name(s)

Detrol

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Urinary Incontinence ST - Detrol LA

Drug Name(s)

Detrol LA

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Urinary Incontinence ST - Toviaz

Drug Name(s)

Toviaz

Criteria:

Criteria for approval require ONE of the following:

1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.

Step Therapy Group:

Urinary Incontinence ST – Vesicare

Drug Name(s)

Vesicare

Criteria:

Criteria for approval require ONE of the following:

1. Patient’s medication history includes use of the generic equivalent agent within the past 999 days OR
2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
3. Patient has had an ineffective treatment response to the generic equivalent agent OR
4. Patient has an FDA labeled contraindication to the generic equivalent agent

Medication subject to step therapy will be covered when the above criteria are met.