

Blue Cross<sup>®</sup> and Blue Shield<sup>®</sup> of North Carolina (Blue Cross NC) | Healthy Blue + Medicare<sup>SM</sup> (HMO-POS D-SNP)

# **Advanced Illness and Frailty Exclusions 2025**

Healthcare Effectiveness Data Information Set<sup>®</sup> (HEDIS) is a widely used set of performance measures developed and maintained by NCQA. These are used to drive improvement efforts surrounding best practices.

HEDIS<sup>®</sup> is a registered trademark of the National Committee for Quality Assurance (NCQA).



#### **Definitions:**

- Advanced illness: severe chronic conditions that cause general health and function decline
- **Frailty:** limited mobility or physical functional impairment that may require the use of durable medical equipment

#### **Important Notes:**

- The following section from HEDIS 2025 targets optimizing care for advanced illness and frailty patients.
- Frailty and advanced illness measures apply to various medical realms from cancer to diabetes.
- This reference notes exclusions or adjustments made to enhance care, ensuring it aligns more closely with the patient's health status.

#### https://bluecrossnc.com/providers/networks-programs/blue-medicare/healthy-blue-medicare

Blue Cross and Blue Shield of North Carolina Senior Health, DBA Blue Cross and Blue Shield of North Carolina, is an HMO-POS D-SNP plan with a Medicare contract and a NC State Medicaid Agency Contract (SMAC). Enrollment in Blue Cross and Blue Shield of North Carolina Senior Health depends upon contract renewal. <sup>®</sup>, <sup>SM</sup> are marks of the Blue Cross Blue Shield Association, an association of independent Blue Cross and Blue Shield plans. All other marks and names are property of their respective owners. Blue Cross and Blue Shield of North Carolina is an independent licensee of the Blue Cross Blue Shield Association. NCBCBS-CR-074991-24-CPN74691 March 2025

## Purpose

For those with limited life expectancy or advanced illness, the services identified in some measures may not be relevant or in line with the patient's goals of care. By implementing these exclusions, this population can focus on care that is more appropriate for their conditions and health status (for example, improving care transitions, getting follow-up after acute care episodes, or avoiding preventable hospitalizations). Exclusions also aim to ensure that frail older adults are not burdened with unnecessary tests or treatments that would benefit them little and may even pose harm.

For more information on improving care for those with advanced illness and frailty, visit https://ncqa.org/blog/improving-care-advanced-illness-frailty.

## What Qualifies as a Frailty or Advanced Illness Exclusion?

#### Frailty

At least two indications of frailty with different dates of service during 2025. Do not include laboratory claims (claims with POS code 81).

#### Advanced Illness

Any of the following during 2024 and/or 2025 meet criteria. Do not include laboratory claims (claims with POS code 81):

- At least two outpatient visits, observation visits, emergency department visits, telephone visits, e-visits, virtual check-ins, or non-acute inpatient discharges (the diagnosis must be on the discharge claim) on different dates of service with an advanced illness diagnosis. Visit type does need not be the same for the two visits.
- At least one acute inpatient encounter with an advanced illness diagnosis on the discharge claim
- At least one acute inpatient discharge with an advanced illness diagnosis on the discharge claim
- A dispensed dementia medication:
  - Cholinesterase inhibitors (donepezil, galantamine, rivastigmine)
  - Miscellaneous central nervous system agents (memantine)
  - Dementia combinations (donepezil-memantine)

**Note:** Exclusions for advanced illness, frailty, and dispensed dementia medications must come from claims.

### **Applicable Measures**

Measure	Description
Advanced Care Planning (ACP)	66 to 80 years of age* with frailty and advanced illness or 81 years old and older* with frailty
Breast Cancer Screening (BCS-E)	66 years of age and older* with frailty and advanced illness
Blood Pressure Control for Patients With Diabetes (BPD)	66 years of age and older* with frailty and advanced illness
Blood Pressure Control for Patients With Hypertension (BPC-E)	66 to 80 years of age* with frailty and advanced illness or 81 years old and older* with frailty
Colorectal Cancer Screening (COL-E)	66 years of age and older* with frailty and advanced illness
Controlling High Blood Pressure (CBP)	66 to 80 years of age* with frailty and advanced illness or 81 years old and older* with frailty
Cardiac Rehabilitation (CRE)	66 to 80 years of age* with frailty and advanced illness or 81 years old and older* with frailty
Eye Exam for Patients With Diabetes (EED)	66 years of age and older* with frailty and advanced illness
Glycemic Status Assessment for Patients With Diabetes (GSD)	66 years of age and older* with frailty and advanced illness
Kidney Health Evaluation for Patients With Diabetes (KED)	66 to 80 years of age and older* with frailty and advanced illness or 81 years of age and older* with frailty
Use of Imaging Studies for Low Back Pain (LBP)	66 years of age and older* with frailty and advanced illness
Osteoporosis Management In Women Who Had a Fracture (OMW)	67 to 80 years of age* with frailty and advanced illness or 81 years old and older* with frailty
Osteoporosis Screening in Older Women (OSW)	66 years of age and older* with frailty and advanced illness
Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	66 to 80 years of age* with frailty and advanced illness or 81 years old and older* with frailty

Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	66 to 80 years of age* with frailty and advanced illness or 81 years old and older* with frailty
Statin Therapy for Patients With Cardiovascular Disease (SPC)	66 years of age and older* with frailty and advanced illness

\* Age as of December 31, 2025

## Examples (lists not inclusive)

Advanced Illness	Frailty
Alcoholic fibrosis and cirrhosis of the liver	Ataxic gait
Alzheimer's disease	Cane, walker, wheelchair*
Chronic and acute heart failure, various stages	Commode chair*
Chronic renal disease	Dependence on enabling machines and devices
Chronic respiratory failure	Difficulty in walking
Dementia	Falls
Emphysema	Home ventilator
Hepatitis	Hospital bed*
Hypertensive heart disease	Nursing care in home
Leukemia	Portable and stationary oxygen*
Malignant neoplasms of specific sites	Pressure ulcer
Parkinson's disease	Private duty nursing
Pulmonary fibrosis	Registered nurse (RN) skilled services
Rheumatic heart failure	Weight loss or underweight

\* Requires a prescription. Medical equipment must be billed during 2025.

## **Advanced Illness Value Set**

Code	Definition	Code Type
Creutzfeldt-Jakob		
A81.00	Creutzfeldt-Jakob disease, unspecified	ICD10CM
A81.01	Variant Creutzfeldt-Jakob disease	ICD10CM
A81.09	Other Creutzfeldt-Jakob disease	ICD10CM
Malignant Neoplasm	•	•

C25.0	Malignant neoplasm of head of pancreas	ICD10CM
C25.1	Malignant neoplasm of body of pancreas	ICD10CM
C25.2	Malignant neoplasm of tail of pancreas	ICD10CM
C25.3	Malignant neoplasm of pancreatic duct	ICD10CM
C25.4	Malignant neoplasm of endocrine pancreas	ICD10CM
C25.7	Malignant neoplasm of other parts of pancreas	ICD10CM
C25.8	Malignant neoplasm of overlapping sites of pancreas	ICD10CM
C25.9	Malignant neoplasm of pancreas, unspecified	ICD10CM
C71.0	Malignant neoplasm of cerebrum, except lobes and ventricles	ICD10CM
C71.1	Malignant neoplasm of frontal lobe	ICD10CM
C71.2	Malignant neoplasm of temporal lobe	ICD10CM
C71.3	Malignant neoplasm of parietal lobe	ICD10CM
C71.4	Malignant neoplasm of occipital lobe	ICD10CM
C71.5	Malignant neoplasm of cerebral ventricle	ICD10CM
C71.6	Malignant neoplasm of cerebellum	ICD10CM
C71.7	Malignant neoplasm of brain stem	ICD10CM
C71.8	Malignant neoplasm of overlapping sites of brain	ICD10CM
C71.9	Malignant neoplasm of brain, unspecified	ICD10CM

	-	
C77.0	Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck	ICD10CM
C77.1	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes	ICD10CM
C77.2	Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes	ICD10CM
C77.3	Secondary and unspecified malignant neoplasm of axilla and upper limb lymph nodes	ICD10CM
C77.4	Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes	ICD10CM
C77.5	Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes	ICD10CM
C77.8	Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions	ICD10CM
C77.9	Secondary and unspecified malignant neoplasm of lymph node, unspecified	ICD10CM
C78.00	Secondary malignant neoplasm of unspecified lung	ICD10CM
C78.01	Secondary malignant neoplasm of right lung	ICD10CM
C78.02	Secondary malignant neoplasm of left lung	ICD10CM
C78.1	Secondary malignant neoplasm of mediastinum	ICD10CM
C78.2	Secondary malignant neoplasm of pleura	ICD10CM

C78.30	Secondary malignant neoplasm of unspecified respiratory organ	ICD10CM
C78.39	Secondary malignant neoplasm of other respiratory organs	ICD10CM
C78.4	Secondary malignant neoplasm of small intestine	ICD10CM
C78.5	Secondary malignant neoplasm of large intestine and rectum	ICD10CM
C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum	ICD10CM
C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct	ICD10CM
C78.80	Secondary malignant neoplasm of unspecified digestive organ	ICD10CM
C78.89	Secondary malignant neoplasm of other digestive organs	ICD10CM
C79.00	Secondary malignant neoplasm of unspecified kidney and renal pelvis	ICD10CM
C79.01	Secondary malignant neoplasm of right kidney and renal pelvis	ICD10CM
C79.02	Secondary malignant neoplasm of left kidney and renal pelvis	ICD10CM
C79.10	Secondary malignant neoplasm of unspecified urinary organs	ICD10CM
C79.11	Secondary malignant neoplasm of bladder	ICD10CM

C79.19	Secondary malignant neoplasm of other urinary organs	ICD10CM
C79.2	Secondary malignant neoplasm of skin	ICD10CM
C79.31	Secondary malignant neoplasm of brain	ICD10CM
C79.32	Secondary malignant neoplasm of cerebral meninges	ICD10CM
C79.40	Secondary malignant neoplasm of unspecified part of nervous system	ICD10CM
C79.49	Secondary malignant neoplasm of other parts of nervous system	ICD10CM
C79.51	Secondary malignant neoplasm of bone	ICD10CM
C79.52	Secondary malignant neoplasm of bone marrow	ICD10CM
C79.60	Secondary malignant neoplasm of unspecified ovary	ICD10CM
C79.61	Secondary malignant neoplasm of right ovary	ICD10CM
C79.62	Secondary malignant neoplasm of left ovary	ICD10CM
C79.63	Secondary malignant neoplasm of bilateral ovaries	ICD10CM
C79.70	Secondary malignant neoplasm of unspecified adrenal gland	ICD10CM
C79.71	Secondary malignant neoplasm of right adrenal gland	ICD10CM
C79.72	Secondary malignant neoplasm of left adrenal gland	ICD10CM

C79.81	Secondary malignant	ICD10CM
	neoplasm of breast	
C79.82	Secondary malignant neoplasm of genital organs	ICD10CM
C79.89	Secondary malignant neoplasm of other specified sites	ICD10CM
C79.9	Secondary malignant neoplasm of unspecified site	ICD10CM
Leukemia		
C91.00	Acute lymphoblastic leukemia not having achieved remission	ICD10CM
C91.02	Acute lymphoblastic leukemia, in relapse	ICD10CM
C92.00	Acute myeloblastic leukemia, not having achieved remission	ICD10CM
C92.02	Acute myeloblastic leukemia, in relapse	ICD10CM
C93.00	Acute monoblastic/monocytic leukemia, not having achieved remission	ICD10CM
C93.02	Acute monoblastic/monocytic leukemia, in relapse	ICD10CM
C93.90	Monocytic leukemia, unspecified, not having achieved remission	ICD10CM
C93.92	Monocytic leukemia, unspecified in relapse	ICD10CM
C93.Z0	Other monocytic leukemia, not having achieved remission	ICD10CM
C93.Z2	Other monocytic leukemia, in relapse	ICD10CM
C94.30	Mast cell leukemia not having achieved remission	ICD10CM
C94.32	Mast cell leukemia, in relapse	ICD10CM
Dementia and Alzheimer's Disease		

F01.50	Vascular dementia, unspecified severity, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	ICD10CM
F01.511	Vascular dementia, unspecified severity, with agitation	ICD10CM
F01.518	Vascular dementia, unspecified severity, with other behavioral disturbance	ICD10CM
F01.52	Vascular dementia, unspecified severity, with psychotic disturbance	ICD10CM
F01.53	Vascular dementia, unspecified severity, with mood disturbance	ICD10CM
F01.54	Vascular dementia, unspecified severity, with anxiety	ICD10CM
F01.A0	Vascular dementia, mild, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	ICD10CM
F01.A11	Vascular dementia, mild, with agitation	ICD10CM
F01.A18	Vascular dementia, mild, with other behavioral disturbance	ICD10CM
F01.A2	Vascular dementia, mild, with psychotic disturbance	ICD10CM
F01.A3	Vascular dementia, mild, with mood disturbance	ICD10CM
F01.A4	Vascular dementia, mild, with anxiety	ICD10CM

F01.B0	Vascular dementia, moderate, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	ICD10CM
F01.B11	Vascular dementia, moderate, with agitation	ICD10CM
F01.B18	Vascular dementia, moderate, with other behavioral disturbance	ICD10CM
F01.B2	Vascular dementia, moderate, with psychotic disturbance	ICD10CM
F01.B3	Vascular dementia, moderate, with mood disturbance	ICD10CM
F01.B4	Vascular dementia, moderate, with anxiety	ICD10CM
F01.C0	Vascular dementia, severe, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	ICD10CM
F01.C11	Vascular dementia, severe, with agitation	ICD10CM
F01.C18	Vascular dementia, severe, with other behavioral disturbance	ICD10CM
F01.C2	Vascular dementia, severe, with psychotic disturbance	ICD10CM
F01.C3	Vascular dementia, severe, with mood disturbance	ICD10CM
F01.C4	Vascular dementia, severe, with anxiety	ICD10CM

F02.80	Dementia in other diseases classified elsewhere, unspecified severity, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	ICD10CM
F02.811	Dementia in other diseases classified elsewhere, unspecified severity, with agitation	ICD10CM
F02.818	Dementia in other diseases classified elsewhere, unspecified severity, with other behavioral disturbance	ICD10CM
F02.82	Dementia in other diseases classified elsewhere, unspecified severity, with psychotic disturbance	ICD10CM
F02.83	Dementia in other diseases classified elsewhere, unspecified severity, with mood disturbance	ICD10CM
F02.84	Dementia in other diseases classified elsewhere, unspecified severity, with anxiety	ICD10CM
F02.A0	Dementia in other diseases classified elsewhere, mild, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	ICD10CM
F02.A11	Dementia in other diseases classified elsewhere, mild, with agitation	ICD10CM

F02.A18	Dementia in other diseases classified elsewhere, mild, with other behavioral disturbance	ICD10CM
F02.A2	Dementia in other diseases classified elsewhere, mild, with psychotic disturbance	ICD10CM
F02.A3	Dementia in other diseases classified elsewhere, mild, with mood disturbance	ICD10CM
F02.A4	Dementia in other diseases classified elsewhere, mild, with anxiety	ICD10CM
F02.B0	Dementia in other diseases classified elsewhere, moderate, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	ICD10CM
F02.B11	Dementia in other diseases classified elsewhere, moderate, with agitation	ICD10CM
F02.B18	Dementia in other diseases classified elsewhere, moderate, with other behavioral disturbance	ICD10CM
F02.B2	Dementia in other diseases classified elsewhere, moderate, with psychotic disturbance	ICD10CM
F02.B3	Dementia in other diseases classified elsewhere, moderate, with mood disturbance	ICD10CM
F02.B4	Dementia in other diseases classified elsewhere, moderate, with anxiety	ICD10CM

F02.C0	Dementia in other diseases classified elsewhere, severe, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	ICD10CM
F02.C11	Dementia in other diseases classified elsewhere, severe, with agitation	ICD10CM
F02.C18	Dementia in other diseases classified elsewhere, severe, with other behavioral disturbance	ICD10CM
F02.C2	Dementia in other diseases classified elsewhere, severe, with psychotic disturbance	ICD10CM
F02.C3	Dementia in other diseases classified elsewhere, severe, with mood disturbance	ICD10CM
F02.C4	Dementia in other diseases classified elsewhere, severe, with anxiety	ICD10CM
F03.90	Unspecified dementia, unspecified severity, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	ICD10CM
F03.911	Unspecified dementia, unspecified severity, with agitation	ICD10CM
F03.918	Unspecified dementia, unspecified severity, with other behavioral disturbance	ICD10CM
F03.92	Unspecified dementia, unspecified severity, with psychotic disturbance	ICD10CM

F03.93	Unspecified dementia, unspecified severity, with mood disturbance	ICD10CM
F03.94	Unspecified dementia, unspecified severity, with anxiety	ICD10CM
F03.A0	Unspecified dementia, mild, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	ICD10CM
F03.A11	Unspecified dementia, mild, with agitation	ICD10CM
F03.A18	Unspecified dementia, mild, with other behavioral disturbance	ICD10CM
F03.A2	Unspecified dementia, mild, with psychotic disturbance	ICD10CM
F03.A3	Unspecified dementia, mild, with mood disturbance	ICD10CM
F03.A4	Unspecified dementia, mild, with anxiety	ICD10CM
F03.B0	Unspecified dementia, moderate, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	ICD10CM
F03.B11	Unspecified dementia, moderate, with agitation	ICD10CM
F03.B18	Unspecified dementia, moderate, with other behavioral disturbance	ICD10CM
F03.B2	Unspecified dementia, moderate, with psychotic disturbance	ICD10CM

F03.B3	Unspecified dementia, moderate, with mood disturbance	ICD10CM	
F03.B4	Unspecified dementia, moderate, with anxiety	ICD10CM	
F03.C0	Unspecified dementia, severe, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety	ICD10CM	
F03.C11	Unspecified dementia, severe, with agitation	ICD10CM	
F03.C18	Unspecified dementia, severe, with other behavioral disturbance	ICD10CM	
F03.C2	Unspecified dementia, severe, with psychotic disturbance	ICD10CM	
F03.C3	Unspecified dementia, severe, with mood disturbance	ICD10CM	
F03.C4	Unspecified dementia, severe, with anxiety	ICD10CM	
F04	Amnestic disorder due to known physiological condition	ICD10CM	
F10.27	Alcohol dependence with alcohol-induced persisting dementia	ICD10CM	
F10.96	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder	ICD10CM	
F10.97	Alcohol use, unspecified with alcohol-induced persisting dementia	ICD10CM	
G10	Huntington's disease	ICD10CM	
G12.21	Amyotrophic lateral sclerosis	ICD10CM	
G20	Parkinson's disease	ICD10CM	
G30.0	Alzheimer's disease with early onset	ICD10CM	

000.4		10040004
G30.1	Alzheimer's disease with late ICD10CM onset	
G30.8	Other Alzheimer's disease	ICD10CM
G30.9	Alzheimer's disease, unspecified	ICD10CM
G31.01	Pick's disease	ICD10CM
G31.09	Other frontotemporal neurocognitive disorder	ICD10CM
G31.83	Neurocognitive disorder with Lewy bodies	ICD10CM
G35	Multiple sclerosis	ICD10CM
Heart Failure, Chronic Kidne	ey Disease (CKD), and End-Sta	ge Renal Disease (ESRD)
109.81	Rheumatic heart failure	ICD10CM
111.0	Hypertensive heart disease with heart failure	ICD10CM
112.0	Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease	ICD10CM
113.0	Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease	ICD10CM
113.11	Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease	ICD10CM
113.2	Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease	ICD10CM

150.1	Left ventricular failure, unspecified	ICD10CM	
150.20	Unspecified systolic (congestive) heart failure	ICD10CM	
150.21	Acute systolic (congestive) heart failure	ICD10CM	
150.22	Chronic systolic (congestive) heart failure	ICD10CM	
150.23	Acute on chronic systolic (congestive) heart failure	ICD10CM	
150.30	Unspecified diastolic (congestive) heart failure	ICD10CM	
150.31	Acute diastolic (congestive) heart failure	ICD10CM	
150.32	Chronic diastolic (congestive) heart failure	ICD10CM	
150.33	Acute on chronic diastolic (congestive) heart failure	ICD10CM	
150.40	Unspecified combined systolic (congestive) and diastolic (congestive) heart failure	ICD10CM	
150.41	Acute combined systolic (congestive) and diastolic (congestive) heart failure	ICD10CM	
150.42	Chronic combined systolic (congestive) and diastolic (congestive) heart failure	ICD10CM	
150.43	Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure	ICD10CM	
150.810	Right heart failure, unspecified	ICD10CM	
150.811	Acute right heart failure	ICD10CM	
150.812	Chronic right heart failure	ICD10CM	
150.813	Acute on chronic right heart failure	ICD10CM	

150.814	Right heart failure due to left ICD10CM heart failure	
150.82	Biventricular heart failure	ICD10CM
150.83	High output heart failure	ICD10CM
	<b>v</b>	
150.84	End stage heart failure	ICD10CM
150.89	Other heart failure	ICD10CM
150.9	Heart failure, unspecified	ICD10CM
Emphysema and Other Res		
J43.0	Unilateral pulmonary emphysema [MacLeod's syndrome]	ICD10CM
J43.1	Panlobular emphysema	ICD10CM
J43.2	Centrilobular emphysema	ICD10CM
J43.8	Other emphysema	ICD10CM
J43.9	Emphysema, unspecified	ICD10CM
J68.4	Chronic respiratory conditions due to chemicals, gases, fumes and vapors	ICD10CM
J84.10	Pulmonary fibrosis, unspecified	ICD10CM
J84.112	Idiopathic pulmonary fibrosis	ICD10CM
J84.170	Interstitial lung disease with progressive fibrotic phenotype in diseases classified elsewhere	ICD10CM
J84.178	Other interstitial pulmonary diseases with fibrosis in diseases classified elsewhere	ICD10CM
J96.10	Chronic respiratory failure, unspecified whether with hypoxia or hypercapnia	ICD10CM
J96.11	Chronic respiratory failure with hypoxia	ICD10CM
J96.12	Chronic respiratory failure with hypercapnia	ICD10CM

J96.20	Acute and chronic respiratory failure, unspecified whether with hypoxia or hypercapnia	ICD10CM	
J96.21	Acute and chronic respiratory failure with hypoxia	ICD10CM	
J96.22	Acute and chronic respiratory failure with hypercapnia	ICD10CM	
J96.90	Respiratory failure, unspecified, unspecified whether with hypoxia or hypercapnia	ICD10CM	
J96.91	Respiratory failure, unspecified with hypoxia	ICD10CM	
J96.92	Respiratory failure, unspecified with hypercapnia	ICD10CM	
J98.2	Interstitial emphysema	ICD10CM	
J98.3	Compensatory emphysema	ICD10CM	
Hepatitis and Cirrl	nosis		
K70.10	Alcoholic hepatitis without ascites	ICD10CM	
K70.11	Alcoholic hepatitis with ascites	ICD10CM	
K70.2	Alcoholic fibrosis and sclerosis of liver	ICD10CM	
K70.30	Alcoholic cirrhosis of liver without ascites	ICD10CM	
K70.31	Alcoholic cirrhosis of liver with ascites	ICD10CM	
K70.40	Alcoholic hepatic failure without coma	ICD10CM	
K70.41	Alcoholic hepatic failure with coma	ICD10CM	
K70.9	Alcoholic liver disease, unspecified	ICD10CM	
K74.00	Hepatic fibrosis, unspecified	ICD10CM	
K74.01	Hepatic fibrosis, early fibrosis	ICD10CM	
K74.02	Hepatic fibrosis, advanced fibrosis	ICD10CM	

K74.1	Hepatic sclerosis	ICD10CM
K74.2	Hepatic fibrosis with hepatic sclerosis	ICD10CM
K74.4	Secondary biliary cirrhosis	ICD10CM
K74.5	Biliary cirrhosis, unspecified	ICD10CM
K74.60	Unspecified cirrhosis of liver	ICD10CM
K74.69	Other cirrhosis of liver	ICD10CM
N18.5	Chronic kidney disease, stage 5	ICD10CM
N18.6	End stage renal disease	ICD10CM

## Frailty Value Sets — Device, Diagnosis, Encounter, and Symptom

Frailty Value Set	Code	Description	Code Type
Durable Medical Ed	quipment Due to Limite	d Mobility	
Device	E1190	Amputee wheelchair, detachable arms (desk or full length) swing away detachable elevating legrests (E1190)	HCPCS
Device	E1180	Amputee wheelchair, detachable arms (desk or full length) swing away detachable footrests (E1180)	HCPCS
Device	E1172	Amputee wheelchair, detachable arms (desk or full length) without footrests or legrest (E1172)	HCPCS
Device	E1170	Amputee wheelchair, fixed full length arms, swing away detachable elevating legrests (E1170)	HCPCS

Device	E1200	Amputee wheelchair, fixed full length arms, swing away detachable footrest (E1200)	HCPCS
Device	E1171	Amputee wheelchair, fixed full length arms, without footrests or legrest (E1171)	HCPCS
Device	E0100	Cane, includes canes of all materials, adjustable or fixed, with tip (E0100)	HCPCS
Device	E0105	Cane, quad or three prong, includes canes of all materials, adjustable or fixed, with tips (E0105)	HCPCS
Device	E0170	Commode chair with integrated seat lift mechanism, electric, any type (E0170)	HCPCS
Device	E0171	Commode chair with integrated seat lift mechanism, non-electric, any type (E0171)	HCPCS
Device	E0168	Commode chair, extra wide and/or heavy duty, stationary or mobile, with or without arms, any type, each (E0168)	HCPCS
Device	E0165	Commode chair, mobile or stationary, with detachable arms (E0165)	HCPCS

Device	E0163	Commode chair, mobile or stationary, with fixed arms (E0163)	HCPCS
Device	E1280	Heavy duty wheelchair, detachable arms (desk or full length) elevating legrests (E1280)	HCPCS
Device	E1290	Heavy duty wheelchair, detachable arms (desk or full length) swing away detachable footrest (E1290)	HCPCS
Device	E1295	Heavy duty wheelchair, fixed full length arms, elevating legrest (E1295)	HCPCS
Device	E1195	Heavy duty wheelchair, fixed full length arms, swing away detachable elevating legrests (E1195)	HCPCS
Device	E1285	Heavy duty wheelchair, fixed full length arms, swing away detachable footrest (E1285)	HCPCS
Device	E0465	Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube) (E0465)	HCPCS
Device	E0466	Home ventilator, any type, used with non-invasive interface, (e.g., mask, chest shell) (E0466)	HCPCS

Device	E0304	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress (E0304)	HCPCS
Device	E0302	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, without mattress (E0302)	HCPCS
Device	E0250	Hospital bed, fixed height, with any type side rails, with mattress (E0250)	HCPCS
Device	E0251	Hospital bed, fixed height, with any type side rails, without mattress (E0251)	HCPCS
Device	E0290	Hospital bed, fixed height, without side rails, with mattress (E0290)	HCPCS
Device	E0291	Hospital bed, fixed height, without side rails, without mattress (E0291)	HCPCS
Device	E0303	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress (E0303)	HCPCS

Device	E0301	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, without mattress (E0301)	HCPCS
Device	E0270	Hospital bed, institutional type includes: oscillating, circulating and stryker frame, with mattress (E0270)	HCPCS
Device	E0260	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, with mattress (E0260)	HCPCS
Device	E0261	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, without mattress (E0261)	HCPCS
Device	E0294	Hospital bed, semi-electric (head and foot adjustment), without side rails, with mattress (E0294)	HCPCS
Device	E0295	Hospital bed, semi-electric (head and foot adjustment), without side rails, without mattress (E0295)	HCPCS

Device	E0265	Hospital bod, total	HCPCS
Device	E0203	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, with mattress (E0265)	
Device	E0266	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, without mattress (E0266)	HCPCS
Device	E0296	Hospital bed, total electric (head, foot and height adjustments), without side rails, with mattress (E0296)	HCPCS
Device	E0297	Hospital bed, total electric (head, foot and height adjustments), without side rails, without mattress (E0297)	HCPCS
Device	E0255	Hospital bed, variable height, hi-lo, with any type side rails, with mattress (E0255)	HCPCS
Device	E0256	Hospital bed, variable height, hi-lo, with any type side rails, without mattress (E0256)	HCPCS
Device	E0292	Hospital bed, variable height, hi-lo, without side rails, with mattress (E0292)	HCPCS
Device	E0293	Hospital bed, variable height, hi-lo, without side rails, without mattress (E0293)	HCPCS

Device	E1260	Lightweight wheelchair, detachable arms (desk or full length) swing away detachable footrest (E1260)	HCPCS
Device	E1240	Lightweight wheelchair, detachable arms, (desk or full length) swing away detachable, elevating legrest (E1240)	HCPCS
Device	E1270	Lightweight wheelchair, fixed full length arms, swing away detachable elevating legrests (E1270)	HCPCS
Device	E1250	Lightweight wheelchair, fixed full length arms, swing away detachable footrest (E1250)	HCPCS
Device	E1161	Manual adult size wheelchair, includes tilt in space (E1161)	HCPCS
Device	E0167	Pail or pan for use with commode chair, replacement only (E0167)	HCPCS
Device	E0430	Portable gaseous oxygen system, purchase; includes regulator, flowmeter, humidifier, cannula or mask, and tubing (E0430)	HCPCS

Device	E0431	Portable gaseous oxygen system, rental; includes portable container, regulator, flowmeter, humidifier, cannula or mask, and tubing (E0431)	HCPCS
Device	E0435	Portable liquid oxygen system, purchase; includes portable container, supply reservoir, flowmeter, humidifier, contents gauge, cannula or mask, tubing and refill adaptor (E0435)	HCPCS
Device	E0433	Portable liquid oxygen system, rental; home liquefier used to fill portable liquid oxygen containers, includes portable containers, regulator, flowmeter, humidifier, cannula or mask and tubing, with or without supply reservoir and contents gauge (E0433)	HCPCS
Device	E0434	Portable liquid oxygen system, rental; includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or mask, and tubing (E0434)	HCPCS

Device	E0443	Portable oxygen contents, gaseous, 1 month's supply = 1 unit (E0443)	HCPCS
Device	E0444	Portable oxygen contents, liquid, 1 month's supply = 1 unit (E0444)	HCPCS
Device	E0472	Respiratory assist device, bi-level pressure capability, with backup rate feature, used with invasive interface, e.g., tracheostomy tube (intermittent assist device with continuous positive airway pressure device) (E0472)	HCPCS
Device	E0471	Respiratory assist device, bi-level pressure capability, with back-up rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device) (E0471)	HCPCS

Device	E0470	Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device) (E0470)	HCPCS
Device	E0462	Rocking bed with or without side rails (E0462)	HCPCS
Device	E1298	Special wheelchair seat depth and/or width, by construction (E1298)	HCPCS
Device	E1297	Special wheelchair seat depth, by upholstery (E1297)	HCPCS
Device	E1296	Special wheelchair seat height from floor (E1296)	HCPCS
Device	E1130	Standard wheelchair, fixed full length arms, fixed or swing away detachable footrests (E1130)	HCPCS
Device	E0425	Stationary compressed gas system, purchase; includes regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing (E0425)	HCPCS

Device	E0424	Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing (E0424)	HCPCS
Device	E0440	Stationary liquid oxygen system, purchase; includes use of reservoir, contents indicator, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing (E0440)	HCPCS
Device	E0439	Stationary liquid oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, & tubing (E0439)	HCPCS
Device	E0441	Stationary oxygen contents, gaseous, 1 month's supply = 1 unit (E0441)	HCPCS
Device	E0442	Stationary oxygen contents, liquid, 1 month's supply = 1 unit (E0442)	HCPCS
Device	E0144	Walker, enclosed, four sided framed, rigid or folding, wheeled with posterior seat (E0144)	HCPCS

Device	E0135	Walker, folding (pickup), adjustable or fixed height (E0135)	HCPCS
Device	E0143	Walker, folding, wheeled, adjustable or fixed height (E0143)	HCPCS
Device	E0147	Walker, heavy duty, multiple braking system, variable wheel resistance (E0147)	HCPCS
Device	E0149	Walker, heavy duty, wheeled, rigid or folding, any type (E0149)	HCPCS
Device	E0148	Walker, heavy duty, without wheels, rigid or folding, any type, each (E0148)	HCPCS
Device	E0130	Walker, rigid (pickup), adjustable or fixed height (E0130)	HCPCS
Device	E0141	Walker, rigid, wheeled, adjustable or fixed height (E0141)	HCPCS
Device	E0140	Walker, with trunk support, adjustable or fixed height, any type (E0140)	HCPCS
Device	E1150	Wheelchair, detachable arms, desk or full length swing away detachable elevating legrests (E1150)	HCPCS

Device	E1140	Wheelchair, detachable arms, desk or full length, swing away detachable footrests (E1140)	HCPCS
Device	E1160	Wheelchair, fixed full length arms, swing away detachable elevating legrests (E1160)	HCPCS
Device	E1220	Wheelchair; specially sized or constructed, (indicate brand name, model number, if any) and justification (E1220)	HCPCS
Pressure Ulcer, I	Musculoskeletal C	onditions (Atrophy, Reduced M	obility, or Control)
Diagnosis	L89.000	Pressure ulcer of unspecified elbow, unstageable	ICD10CM
Diagnosis	L89.001	Pressure ulcer of unspecified elbow, stage 1	ICD10CM
Diagnosis	L89.002	Pressure ulcer of unspecified elbow, stage 2	ICD10CM
Diagnosis	L89.003	Pressure ulcer of unspecified elbow, stage 3	ICD10CM
Diagnosis	L89.004	Pressure ulcer of unspecified elbow, stage 4	ICD10CM
Diagnosis	L89.006	Pressure-induced deep tissue damage of unspecified elbow	ICD10CM
Diagnosis	L89.009	Pressure ulcer of unspecified elbow, unspecified stage	ICD10CM

Diagnosis	L89.010	Pressure ulcer of right elbow, unstageable	ICD10CM
Diagnosis	L89.011	Pressure ulcer of right elbow, stage 1	ICD10CM
Diagnosis	L89.012	Pressure ulcer of right elbow, stage 2	ICD10CM
Diagnosis	L89.013	Pressure ulcer of right elbow, stage 3	ICD10CM
Diagnosis	L89.014	Pressure ulcer of right elbow, stage 4	ICD10CM
Diagnosis	L89.016	Pressure-induced deep tissue damage of right elbow	ICD10CM
Diagnosis	L89.019	Pressure ulcer of right elbow, unspecified stage	ICD10CM
Diagnosis	L89.020	Pressure ulcer of left elbow, unstageable	ICD10CM
Diagnosis	L89.021	Pressure ulcer of left elbow, stage 1	ICD10CM
Diagnosis	L89.022	Pressure ulcer of left elbow, stage 2	ICD10CM
Diagnosis	L89.023	Pressure ulcer of left elbow, stage 3	ICD10CM
Diagnosis	L89.024	Pressure ulcer of left elbow, stage 4	ICD10CM
Diagnosis	L89.026	Pressure-induced deep tissue damage of left elbow	ICD10CM
Diagnosis	L89.029	Pressure ulcer of left elbow, unspecified stage	ICD10CM
Diagnosis	L89.100	Pressure ulcer of unspecified part of back, unstageable	ICD10CM

Diagnosis	L89.101	Pressure ulcer of unspecified part of back, stage 1	ICD10CM
Diagnosis	L89.102	Pressure ulcer of unspecified part of back, stage 2	ICD10CM
Diagnosis	L89.103	Pressure ulcer of unspecified part of back, stage 3	ICD10CM
Diagnosis	L89.104	Pressure ulcer of unspecified part of back, stage 4	ICD10CM
Diagnosis	L89.106	Pressure-induced deep tissue damage of unspecified part of back	ICD10CM
Diagnosis	L89.109	Pressure ulcer of unspecified part of back, unspecified stage	ICD10CM
Diagnosis	L89.110	Pressure ulcer of right upper back, unstageable	ICD10CM
Diagnosis	L89.111	Pressure ulcer of right upper back, stage 1	ICD10CM
Diagnosis	L89.112	Pressure ulcer of right upper back, stage 2	ICD10CM
Diagnosis	L89.113	Pressure ulcer of right upper back, stage 3	ICD10CM
Diagnosis	L89.114	Pressure ulcer of right upper back, stage 4	ICD10CM
Diagnosis	L89.116	Pressure-induced deep tissue damage of right upper back	ICD10CM
Diagnosis	L89.119	Pressure ulcer of right upper back, unspecified stage	ICD10CM

Diagnosis	L89.120	Pressure ulcer of left upper back, unstageable	ICD10CM
Diagnosis	L89.121	Pressure ulcer of left upper back, stage 1	ICD10CM
Diagnosis	L89.122	Pressure ulcer of left upper back, stage 2	ICD10CM
Diagnosis	L89.123	Pressure ulcer of left upper back, stage 3	ICD10CM
Diagnosis	L89.124	Pressure ulcer of left upper back, stage 4	ICD10CM
Diagnosis	L89.126	Pressure-induced deep tissue damage of left upper back	ICD10CM
Diagnosis	L89.129	Pressure ulcer of left upper back, unspecified stage	ICD10CM
Diagnosis	L89.130	Pressure ulcer of right lower back, unstageable	ICD10CM
Diagnosis	L89.131	Pressure ulcer of right lower back, stage 1	ICD10CM
Diagnosis	L89.132	Pressure ulcer of right lower back, stage 2	ICD10CM
Diagnosis	L89.133	Pressure ulcer of right lower back, stage 3	ICD10CM
Diagnosis	L89.134	Pressure ulcer of right lower back, stage 4	ICD10CM
Diagnosis	L89.136	Pressure-induced deep tissue damage of right lower back	ICD10CM
Diagnosis	L89.139	Pressure ulcer of right lower back, unspecified stage	ICD10CM
Diagnosis	L89.140	Pressure ulcer of left lower back, unstageable	ICD10CM

Diagnosis	L89.141	Pressure ulcer of left lower back, stage 1	ICD10CM
Diagnosis	L89.142	Pressure ulcer of left lower back, stage 2	ICD10CM
Diagnosis	L89.143	Pressure ulcer of left lower back, stage 3	ICD10CM
Diagnosis	L89.144	Pressure ulcer of left lower back, stage 4	ICD10CM
Diagnosis	L89.146	Pressure-induced deep tissue damage of left lower back	ICD10CM
Diagnosis	L89.149	Pressure ulcer of left lower back, unspecified stage	ICD10CM
Diagnosis	L89.150	Pressure ulcer of sacral region, unstageable	ICD10CM
Diagnosis	L89.151	Pressure ulcer of sacral region, stage 1	ICD10CM
Diagnosis	L89.152	Pressure ulcer of sacral region, stage 2	ICD10CM
Diagnosis	L89.153	Pressure ulcer of sacral region, stage 3	ICD10CM
Diagnosis	L89.154	Pressure ulcer of sacral region, stage 4	ICD10CM
Diagnosis	L89.156	Pressure-induced deep tissue damage of sacral region	ICD10CM
Diagnosis	L89.159	Pressure ulcer of sacral region, unspecified stage	ICD10CM
Diagnosis	L89.200	Pressure ulcer of unspecified hip, unstageable	ICD10CM
Diagnosis	L89.201	Pressure ulcer of unspecified hip, stage 1	ICD10CM

Diagnosis	L89.202	Pressure ulcer of unspecified hip, stage 2	ICD10CM
Diagnosis	L89.203	Pressure ulcer of unspecified hip, stage 3	ICD10CM
Diagnosis	L89.204	Pressure ulcer of unspecified hip, stage 4	ICD10CM
Diagnosis	L89.206	Pressure-induced deep tissue damage of unspecified hip	ICD10CM
Diagnosis	L89.209	Pressure ulcer of unspecified hip, unspecified stage	ICD10CM
Diagnosis	L89.210	Pressure ulcer of right hip, unstageable	ICD10CM
Diagnosis	L89.211	Pressure ulcer of right hip, stage 1	ICD10CM
Diagnosis	L89.212	Pressure ulcer of right hip, stage 2	ICD10CM
Diagnosis	L89.213	Pressure ulcer of right hip, stage 3	ICD10CM
Diagnosis	L89.214	Pressure ulcer of right hip, stage 4	ICD10CM
Diagnosis	L89.216	Pressure-induced deep tissue damage of right hip	ICD10CM
Diagnosis	L89.219	Pressure ulcer of right hip, unspecified stage	ICD10CM
Diagnosis	L89.220	Pressure ulcer of left hip, unstageable	ICD10CM
Diagnosis	L89.221	Pressure ulcer of left hip, stage 1	ICD10CM
Diagnosis	L89.222	Pressure ulcer of left hip, stage 2	ICD10CM
Diagnosis	L89.223	Pressure ulcer of left hip, stage 3	ICD10CM

Diagnosis	L89.224	Pressure ulcer of left hip, stage 4	ICD10CM
Diagnosis	L89.226	Pressure-induced deep tissue damage of left hip	ICD10CM
Diagnosis	L89.229	Pressure ulcer of left hip, unspecified stage	ICD10CM
Diagnosis	L89.300	Pressure ulcer of unspecified buttock, unstageable	ICD10CM
Diagnosis	L89.301	Pressure ulcer of unspecified buttock, stage 1	ICD10CM
Diagnosis	L89.302	Pressure ulcer of unspecified buttock, stage 2	ICD10CM
Diagnosis	L89.303	Pressure ulcer of unspecified buttock, stage 3	ICD10CM
Diagnosis	L89.304	Pressure ulcer of unspecified buttock, stage 4	ICD10CM
Diagnosis	L89.306	Pressure-induced deep tissue damage of unspecified buttock	ICD10CM
Diagnosis	L89.309	Pressure ulcer of unspecified buttock, unspecified stage	ICD10CM
Diagnosis	L89.310	Pressure ulcer of right buttock, unstageable	ICD10CM
Diagnosis	L89.311	Pressure ulcer of right buttock, stage 1	ICD10CM
Diagnosis	L89.312	Pressure ulcer of right buttock, stage 2	ICD10CM
Diagnosis	L89.313	Pressure ulcer of right buttock, stage 3	ICD10CM

Diagnosis	L89.314	Pressure ulcer of right buttock, stage 4	ICD10CM
Diagnosis	L89.316	Pressure-induced deep tissue damage of right buttock	ICD10CM
Diagnosis	L89.319	Pressure ulcer of right buttock, unspecified stage	ICD10CM
Diagnosis	L89.320	Pressure ulcer of left buttock, unstageable	ICD10CM
Diagnosis	L89.321	Pressure ulcer of left buttock, stage 1	ICD10CM
Diagnosis	L89.322	Pressure ulcer of left buttock, stage 2	ICD10CM
Diagnosis	L89.323	Pressure ulcer of left buttock, stage 3	ICD10CM
Diagnosis	L89.324	Pressure ulcer of left buttock, stage 4	ICD10CM
Diagnosis	L89.326	Pressure-induced deep tissue damage of left buttock	ICD10CM
Diagnosis	L89.329	Pressure ulcer of left buttock, unspecified stage	ICD10CM
Diagnosis	L89.40	Pressure ulcer of contiguous site of back, buttock and hip, unspecified stage	ICD10CM
Diagnosis	L89.41	Pressure ulcer of contiguous site of back, buttock and hip, stage 1	ICD10CM
Diagnosis	L89.42	Pressure ulcer of contiguous site of back, buttock and hip, stage 2	ICD10CM

Diagnosis	L89.43	Pressure ulcer of contiguous site of back, buttock and hip, stage 3	ICD10CM
Diagnosis	L89.44	Pressure ulcer of contiguous site of back, buttock and hip, stage 4	ICD10CM
Diagnosis	L89.45	Pressure ulcer of contiguous site of back, buttock and hip, unstageable	ICD10CM
Diagnosis	L89.46	Pressure-induced deep tissue damage of contiguous site of back, buttock and hip	ICD10CM
Diagnosis	L89.500	Pressure ulcer of unspecified ankle, unstageable	ICD10CM
Diagnosis	L89.501	Pressure ulcer of unspecified ankle, stage 1	ICD10CM
Diagnosis	L89.502	Pressure ulcer of unspecified ankle, stage 2	ICD10CM
Diagnosis	L89.503	Pressure ulcer of unspecified ankle, stage 3	ICD10CM
Diagnosis	L89.504	Pressure ulcer of unspecified ankle, stage 4	ICD10CM
Diagnosis	L89.506	Pressure-induced deep tissue damage of unspecified ankle	ICD10CM
Diagnosis	L89.509	Pressure ulcer of unspecified ankle, unspecified stage	ICD10CM

Diagnosis	L89.510	Pressure ulcer of right ankle, unstageable	ICD10CM
Diagnosis	L89.511	Pressure ulcer of right ankle, stage 1	ICD10CM
Diagnosis	L89.512	Pressure ulcer of right ankle, stage 2	ICD10CM
Diagnosis	L89.513	Pressure ulcer of right ankle, stage 3	ICD10CM
Diagnosis	L89.514	Pressure ulcer of right ankle, stage 4	ICD10CM
Diagnosis	L89.516	Pressure-induced deep tissue damage of right ankle	ICD10CM
Diagnosis	L89.519	Pressure ulcer of right ankle, unspecified stage	ICD10CM
Diagnosis	L89.520	Pressure ulcer of left ankle, unstageable	ICD10CM
Diagnosis	L89.521	Pressure ulcer of left ankle, stage 1	ICD10CM
Diagnosis	L89.522	Pressure ulcer of left ankle, stage 2	ICD10CM
Diagnosis	L89.523	Pressure ulcer of left ankle, stage 3	ICD10CM
Diagnosis	L89.524	Pressure ulcer of left ankle, stage 4	ICD10CM
Diagnosis	L89.526	Pressure-induced deep tissue damage of left ankle	ICD10CM
Diagnosis	L89.529	Pressure ulcer of left ankle, unspecified stage	ICD10CM
Diagnosis	L89.600	Pressure ulcer of unspecified heel, unstageable	ICD10CM

Diagnosis	L89.601	Pressure ulcer of unspecified heel, stage 1	ICD10CM
Diagnosis	L89.602	Pressure ulcer of unspecified heel, stage 2	ICD10CM
Diagnosis	L89.603	Pressure ulcer of unspecified heel, stage 3	ICD10CM
Diagnosis	L89.604	Pressure ulcer of unspecified heel, stage 4	ICD10CM
Diagnosis	L89.606	Pressure-induced deep tissue damage of unspecified heel	ICD10CM
Diagnosis	L89.609	Pressure ulcer of unspecified heel, unspecified stage	ICD10CM
Diagnosis	L89.610	Pressure ulcer of right heel, unstageable	ICD10CM
Diagnosis	L89.611	Pressure ulcer of right heel, stage 1	ICD10CM
Diagnosis	L89.612	Pressure ulcer of right heel, stage 2	ICD10CM
Diagnosis	L89.613	Pressure ulcer of right heel, stage 3	ICD10CM
Diagnosis	L89.614	Pressure ulcer of right heel, stage 4	ICD10CM
Diagnosis	L89.616	Pressure-induced deep tissue damage of right heel	ICD10CM
Diagnosis	L89.619	Pressure ulcer of right heel, unspecified stage	ICD10CM
Diagnosis	L89.620	Pressure ulcer of left heel, unstageable	ICD10CM
Diagnosis	L89.621	Pressure ulcer of left heel, stage 1	ICD10CM

Diagnosis	L89.622	Pressure ulcer of left heel, stage 2	ICD10CM
Diagnosis	L89.623	Pressure ulcer of left heel, stage 3	ICD10CM
Diagnosis	L89.624	Pressure ulcer of left heel, stage 4	ICD10CM
Diagnosis	L89.626	Pressure-induced deep tissue damage of left heel	ICD10CM
Diagnosis	L89.629	Pressure ulcer of left heel, unspecified stage	ICD10CM
Diagnosis	L89.810	Pressure ulcer of head, unstageable	ICD10CM
Diagnosis	L89.811	Pressure ulcer of head, stage 1	ICD10CM
Diagnosis	L89.812	Pressure ulcer of head, stage 2	ICD10CM
Diagnosis	L89.813	Pressure ulcer of head, stage 3	ICD10CM
Diagnosis	L89.814	Pressure ulcer of head, stage 4	ICD10CM
Diagnosis	L89.816	Pressure-induced deep tissue damage of head	ICD10CM
Diagnosis	L89.819	Pressure ulcer of head, unspecified stage	ICD10CM
Diagnosis	L89.890	Pressure ulcer of other site, unstageable	ICD10CM
Diagnosis	L89.891	Pressure ulcer of other site, stage 1	ICD10CM
Diagnosis	L89.892	Pressure ulcer of other site, stage 2	ICD10CM
Diagnosis	L89.893	Pressure ulcer of other site, stage 3	ICD10CM
Diagnosis	L89.894	Pressure ulcer of other site, stage 4	ICD10CM

Diagnosis	L89.896	Pressure-induced deep tissue damage of other site	ICD10CM
Diagnosis	L89.899	Pressure ulcer of other site, unspecified stage	ICD10CM
Diagnosis	L89.90	Pressure ulcer of unspecified site, unspecified stage	ICD10CM
Diagnosis	L89.91	Pressure ulcer of unspecified site, stage 1	ICD10CM
Diagnosis	L89.92	Pressure ulcer of unspecified site, stage 2	ICD10CM
Diagnosis	L89.93	Pressure ulcer of unspecified site, stage 3	ICD10CM
Diagnosis	L89.94	Pressure ulcer of unspecified site, stage 4	ICD10CM
Diagnosis	L89.95	Pressure ulcer of unspecified site, unstageable	ICD10CM
Diagnosis	L89.96	Pressure-induced deep tissue damage of unspecified site	ICD10CM
Diagnosis	M62.50	Muscle wasting and atrophy, not elsewhere classified, unspecified site	ICD10CM
Diagnosis	M62.81	Muscle weakness (generalized)	ICD10CM
Diagnosis	M62.84	Sarcopenia	ICD10CM
Falls			

Diagnosis	W01.0XXA	Fall on same level from slipping, tripping and stumbling without subsequent striking against object, initial encounter	ICD10CM
Diagnosis	W01.0XXD	Fall on same level from slipping, tripping and stumbling without subsequent striking against object, subsequent encounter	ICD10CM
Diagnosis	W01.0XXS	Fall on same level from slipping, tripping and stumbling without subsequent striking against object, sequela	ICD10CM
Diagnosis	W01.10XA	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, initial encounter	ICD10CM
Diagnosis	W01.10XD	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, subsequent encounter	ICD10CM
Diagnosis	W01.10XS	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, sequela	ICD10CM

Diagnosis	W01.110A	Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, initial encounter	ICD10CM
Diagnosis	W01.110D	Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, subsequent encounter	ICD10CM
Diagnosis	W01.110S	Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, sequela	ICD10CM
Diagnosis	W01.111A	Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, initial encounter	ICD10CM
Diagnosis	W01.111D	Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, subsequent encounter	ICD10CM
Diagnosis	W01.111S	Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, sequela	ICD10CM

Diagnosis	W01.118A	Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, initial encounter	ICD10CM
Diagnosis	W01.118D	Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, subsequent encounter	ICD10CM
Diagnosis	W01.118S	Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, sequela	ICD10CM
Diagnosis	W01.119A	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, initial encounter	ICD10CM
Diagnosis	W01.119D	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, subsequent encounter	ICD10CM

Diagnosis	W01.119S	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, sequela	ICD10CM
Diagnosis	W01.190A	Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, initial encounter	ICD10CM
Diagnosis	W01.190D	Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, subsequent encounter	ICD10CM
Diagnosis	W01.190S	Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, sequela	ICD10CM
Diagnosis	W01.198A	Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, initial encounter	ICD10CM
Diagnosis	W01.198D	Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, subsequent encounter	ICD10CM

Diagnosis	W01.198S	Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, sequela	ICD10CM
Diagnosis	W06.XXXA	Fall from bed, initial encounter	ICD10CM
Diagnosis	W06.XXXD	Fall from bed, subsequent encounter	ICD10CM
Diagnosis	W06.XXXS	Fall from bed, sequela	ICD10CM
Diagnosis	W07.XXXA	Fall from chair, initial encounter	ICD10CM
Diagnosis	W07.XXXD	Fall from chair, subsequent encounter	ICD10CM
Diagnosis	W07.XXXS	Fall from chair, sequela	ICD10CM
Diagnosis	W08.XXXA	Fall from other furniture, initial encounter	ICD10CM
Diagnosis	W08.XXXD	Fall from other furniture, subsequent encounter	ICD10CM
Diagnosis	W08.XXXS	Fall from other furniture, sequela	ICD10CM
Diagnosis	W10.0XXA	Fall (on)(from) escalator, initial encounter	ICD10CM
Diagnosis	W10.0XXD	Fall (on)(from) escalator, subsequent encounter	ICD10CM
Diagnosis	W10.0XXS	Fall (on)(from) escalator, sequela	ICD10CM
Diagnosis	W10.1XXA	Fall (on)(from) sidewalk curb, initial encounter	ICD10CM

Diagnosis	W10.1XXD	Fall (on)(from) sidewalk curb, subsequent encounter	ICD10CM
Diagnosis	W10.1XXS	Fall (on)(from) sidewalk curb, sequela	ICD10CM
Diagnosis	W10.2XXA	Fall (on)(from) incline, initial encounter	ICD10CM
Diagnosis	W10.2XXD	Fall (on)(from) incline, subsequent encounter	ICD10CM
Diagnosis	W10.2XXS	Fall (on)(from) incline, sequela	ICD10CM
Diagnosis	W10.8XXA	Fall (on) (from) other stairs and steps, initial encounter	ICD10CM
Diagnosis	W10.8XXD	Fall (on) (from) other stairs and steps, subsequent encounter	ICD10CM
Diagnosis	W10.8XXS	Fall (on) (from) other stairs and steps, sequela	ICD10CM
Diagnosis	W10.9XXA	Fall (on) (from) unspecified stairs and steps, initial encounter	ICD10CM
Diagnosis	W10.9XXD	Fall (on) (from) unspecified stairs and steps, subsequent encounter	ICD10CM
Diagnosis	W10.9XXS	Fall (on) (from) unspecified stairs and steps, sequela	ICD10CM
Diagnosis	W18.00XA	Striking against unspecified object with subsequent fall, initial encounter	ICD10CM

Diagnosis	W18.00XD	Striking against unspecified object with subsequent fall, subsequent encounter	ICD10CM
Diagnosis	W18.00XS	Striking against unspecified object with subsequent fall, sequela	ICD10CM
Diagnosis	W18.02XA	Striking against glass with subsequent fall, initial encounter	ICD10CM
Diagnosis	W18.02XD	Striking against glass with subsequent fall, subsequent encounter	ICD10CM
Diagnosis	W18.02XS	Striking against glass with subsequent fall, sequela	ICD10CM
Diagnosis	W18.09XA	Striking against other object with subsequent fall, initial encounter	ICD10CM
Diagnosis	W18.09XD	Striking against other object with subsequent fall, subsequent encounter	ICD10CM
Diagnosis	W18.09XS	Striking against other object with subsequent fall, sequela	ICD10CM
Diagnosis	W18.11XA	Fall from or off toilet without subsequent striking against object, initial encounter	ICD10CM
Diagnosis	W18.11XD	Fall from or off toilet without subsequent striking against object, subsequent encounter	ICD10CM

Diagnosis	W18.11XS	Fall from or off toilet without subsequent striking against object, sequela	ICD10CM
Diagnosis	W18.12XA	Fall from or off toilet with subsequent striking against object, initial encounter	ICD10CM
Diagnosis	W18.12XD	Fall from or off toilet with subsequent striking against object, subsequent encounter	ICD10CM
Diagnosis	W18.12XS	Fall from or off toilet with subsequent striking against object, sequela	ICD10CM
Diagnosis	W18.2XXA	Fall in (into) shower or empty bathtub, initial encounter	ICD10CM
Diagnosis	W18.2XXD	Fall in (into) shower or empty bathtub, subsequent encounter	ICD10CM
Diagnosis	W18.2XXS	Fall in (into) shower or empty bathtub, sequela	ICD10CM
Diagnosis	W18.30XA	Fall on same level, unspecified, initial encounter	ICD10CM
Diagnosis	W18.30XD	Fall on same level, unspecified, subsequent encounter	ICD10CM
Diagnosis	W18.30XS	Fall on same level, unspecified, sequela	ICD10CM
Diagnosis	W18.31XA	Fall on same level due to stepping on an object, initial encounter	ICD10CM

Diagnosis	W18.31XD	Fall on same level due to stepping on an object, subsequent encounter	ICD10CM
Diagnosis	W18.31XS	Fall on same level due to stepping on an object, sequela	ICD10CM
Diagnosis	W18.39XA	Other fall on same level, initial encounter	ICD10CM
Diagnosis	W18.39XD	Other fall on same level, subsequent encounter	ICD10CM
Diagnosis	W18.39XS	Other fall on same level, sequela	ICD10CM
Diagnosis	W19.XXXA	Unspecified fall, initial encounter	ICD10CM
Diagnosis	W19.XXXD	Unspecified fall, subsequent encounter	ICD10CM
Diagnosis	W19.XXXS	Unspecified fall, sequela	ICD10CM
Diagnosis	Y92.199	Unspecified place in other specified residential institution as the place of occurrence of the external cause	ICD10CM
Diagnosis	Z59.3	Problems related to living in residential institution	ICD10CM
Diagnosis	Z73.6	Limitation of activities due to disability	ICD10CM
Diagnosis	Z74.01	Bed confinement status	ICD10CM
Diagnosis	Z74.09	Other reduced mobility	ICD10CM
Diagnosis	Z74.1	Need for assistance with personal care	ICD10CM

	1	-	
Diagnosis	Z74.2	Need for assistance at home and no other household member able to render care	ICD10CM
Diagnosis	Z74.3	Need for continuous supervision	ICD10CM
Diagnosis	Z74.8	Other problems related to care provider dependency	ICD10CM
Diagnosis	Z74.9	Problem related to care provider dependency, unspecified	ICD10CM
Diagnosis	Z91.81	History of falling	ICD10CM
Need or Dependen	ce for Assistance/Supe	ervision or Enabling Mac	hines/Devices
Diagnosis	Z99.11	Dependence on respirator [ventilator] status	ICD10CM
Diagnosis	Z99.3	Dependence on wheelchair	ICD10CM
Diagnosis	Z99.81	Dependence on supplemental oxygen	ICD10CM
Diagnosis	Z99.89	Dependence on other enabling machines and devices	ICD10CM
Home Health		•	
Encounter	99504	Home visit for mechanical ventilation care	CPT®
Encounter	99509	Home visit for assistance with activities of daily living and personal care	CPT
Skilled Nursing Se	rvices		

Encounter	S0311	Comprehensive	HCPCS
		management and care	
		coordination for	
		advanced illness, per calendar month	
Encounter	T1022	Contracted home health agency	HCPCS
		services, all services	
		provided under	
		contract, per day	
Encounter	G0300	Direct skilled nursing	HCPCS
		services of a licensed	
		practical nurse (LPN) in the home health or	
		hospice setting, each	
		15 minutes	
Encounter	G0299	Direct skilled nursing	HCPCS
		services of a registered	
		nurse (rn) in the home	
		health or hospice setting, each 15	
		minutes	
Encounter	T1021	Home health aide or	HCPCS
		certified nurse	
		assistant, per visit	
Encounter	T1003	LPN/LVN services, up	HCPCS
		to 15 minutes	
Encounter	T1001	Nursing assessment / evaluation	HCPCS
Encounter	 T1031	Nursing care, in the	HCPCS
		home, by licensed	
		practical nurse, per	
		diem	
Encounter	T1030	Nursing care, in the	HCPCS
		home, by registered	
		nurse, per diem	

Encounter	S9124	Nursing care, in the home; by licensed practical nurse, per hour	HCPCS
Encounter	S9123	Nursing care, in the home; by registered nurse, per hour (use for general nursing care only, not to be used when cpt codes 99500-99602 can be used)	HCPCS
Encounter	T1019	Personal care services, per 15 minutes, not for an inpatient or resident of a hospital, nursing facility, icf/mr or imd, part of the individualized plan of treatment (code may not be used to identify services provided by home health aide or certified nurse assistant)	HCPCS
Encounter	T1020	Personal care services, per diem, not for an inpatient or resident of a hospital, nursing facility, icf/mr or imd, part of the individualized plan of treatment (code may not be used to identify services provided by home health aide or certified nurse assistant)	HCPCS

Encounter	S0271	Physician management of patient home care, hospice monthly case rate (per 30 days)	HCPCS
Encounter	T1000	Private duty / independent nursing service(s) - licensed, up to 15 minutes	HCPCS
Encounter	T1005	Respite care services, up to 15 minutes	HCPCS
Encounter	T1002	RN services, up to 15 minutes	HCPCS
Encounter	T1004	Services of a qualified nursing aide, up to 15 minutes	HCPCS
Encounter	G0162	Skilled services by a registered nurse (RN) for management and evaluation of the plan of care; each 15 minutes (the patient's underlying condition or complication requires an RN to ensure that essential non-skilled care achieves its purpose in the home health or hospice setting)	HCPCS

	00404		
Encounter	G0494	Skilled services of a licensed practical nurse (LPN) for the observation and assessment of the patient's condition, each 15 minutes (the change in the patient's condition requires skilled nursing personnel to identify and evaluate the patient's need for possible modification of treatment in the home health or hospice setting)	HCPCS
Encounter	G0493	Skilled services of a registered nurse (RN) for the observation and assessment of the patient's condition, each 15 minutes (the change in the patient's condition requires skilled nursing personnel to identify and evaluate the patient's need for possible modification of treatment in the home health or hospice setting)	HCPCS
	eight, Weakness, and (		
Symptom	R26.2	Difficulty in walking, not elsewhere classified	ICD10CM

Symptom	R26.89	Other abnormalities of gait and mobility	ICD10CM
Symptom	R26.9	Unspecified abnormalities of gait and mobility	ICD10CM
Symptom	R53.1	Weakness	ICD10CM
Symptom	R53.81	Other malaise	ICD10CM
Symptom	R54	Age-related physical debility	ICD10CM
Symptom	R62.7	Adult failure to thrive	ICD10CM
Symptom	R63.4	Abnormal weight loss	ICD10CM
Symptom	R63.6	Underweight	ICD10CM
Symptom	R64	Cachexia	ICD10CM

## Palliative Care Value Set

Code	Definition	Code Type
G9054	Oncology; primary focus of visit; supervising, coordinating or managing care of patient with terminal cancer or for whom other medical illness prevents further cancer treatment; includes symptom management, end-of-life care planning, management of palliative therapies (for use in a medicare-approved demonstration project) (G9054)	HCPCS

## Let's Work Together

For a complete list of advanced illness diagnoses and/or frailty codes, contact your provider relationship management representative.

Please visit **My Diverse Patients** for additional information about eLearning experiences on provider cultural competency and health equity.

With your help, we can continually build towards a future of shared success.