

June 2017 Updated Crosswalk:

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
Radiology Coding					
BCBSNC will reimburse for HCPCS (G code) or CPT code, but not both, for the same date of service					
G0279	Diagnostic digital breast tomosynthesis, unilateral or bilateral (list separately in addition to G0204 or G0206)			77062	DIGITAL BREAST TOMOSYNTHESIS; BILATERAL
				77061	DIGITAL BREAST TOMOSYNTHESIS; UNILATERAL
G0202	Screening mammography, bilateral (2-view study of each breast), including computer-aided detection (cad) when performed	77057 77052	SCREENING MAMMOGRAPHY, BILATERAL COMPUTER-AIDED DETECTION SCREENING MAMMOGRAPHY	77067	Screening mammography, bilateral (2-view study of each breast), including computer-aided detection (CAD) when performed
G0204	Diagnostic mammography, including computer-aided detection (cad) when performed; bilateral	77056 77051	MAMMOGRAPHY; BILATERAL COMPUTER-AIDED DETECTION DIAGNOSTIC MAMMOGRAPHY	77066	Diagnostic mammography, including computer-aided detection (CAD) when performed; bilateral
G0206	Diagnostic mammography, including computer-aided detection (cad) when performed; unilateral	77055 77051	MAMMOGRAPHY; UNILATERAL COMPUTER-AIDED DETECTION DIAGNOSTIC MAMMOGRAPHY	77065	Diagnostic mammography, including computer-aided detection (CAD) when performed; unilateral
Radiation Therapy Coding					
BCBSNC will reimburse for HCPCS (G code) or CPT code, but not both, for the same date of service					
G6003	Radiation treatment delivery, single treatment area, single port or parallel opposed ports, simple blocks or no blocks: up to 5MeV			77402	RADIATION TREATMENT DELIVERY, >1 MEV; SIMPLE
G6004	Radiation treatment delivery, single treatment area, single port or parallel opposed ports, simple blocks or no blocks: 6-10MeV			77402	RADIATION TREATMENT DELIVERY, >1 MEV; SIMPLE

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
G6005	Radiation treatment delivery, single treatment area, single port or parallel opposed ports, simple blocks or no blocks: 11-19MeV			77402	RADIATION TREATMENT DELIVERY, >1 MEV; SIMPLE
G6006	Radiation treatment delivery, single treatment area, single port or parallel opposed ports, simple blocks or no blocks: 20 MeV or greater			77402	RADIATION TREATMENT DELIVERY, >1 MEV; SIMPLE
G6007	Radiation treatment delivery, 2 separate treatment areas, 3 or more ports on a single treatment area, use of multiple blocks; up to 5MeV			77407	RADIATION TREATMENT DELIVERY, >1 MEV; INTERMEDIATE
G6008	Radiation treatment delivery, 2 separate treatment areas, 3 or more ports on a single treatment area, use of multiple blocks; 6-10MeV			77407	RADIATION TREATMENT DELIVERY, >1 MEV; INTERMEDIATE
G6009	Radiation treatment delivery, 2 separate treatment areas, 3 or more ports on a single treatment area, use of multiple blocks; 11-19MeV			77407	RADIATION TREATMENT DELIVERY, >1 MEV; INTERMEDIATE
G6010	Radiation treatment delivery, 2 separate treatment areas, 3 or more ports on a single treatment area, use of multiple blocks; 20 MeV or greater			77407	RADIATION TREATMENT DELIVERY, >1 MEV; INTERMEDIATE
G6011	Radiation treatment delivery, 3 or more separate treatment areas, custom blocking, tangential ports, wedges, rotational beam, compensators, electron beam; up to 5MeV			77412	RADIATION TREATMENT DELIVERY, >1 MEV; COMPLEX

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
G6012	Radiation treatment delivery,3 or more separate treatment areas, custom blocking, tangential ports, wedges, rotational beam, compensators, electron beam; 6-10MeV			77412	RADIATION TREATMENT DELIVERY, >1 MEV; COMPLEX
G6013	Radiation treatment delivery,3 or more separate treatment areas, custom blocking, tangential ports, wedges, rotational beam, compensators, electron beam; 11-19MeV			77412	RADIATION TREATMENT DELIVERY, >1 MEV; COMPLEX
G6014	Radiation treatment delivery,3 or more separate treatment areas, custom blocking, tangential ports, wedges, rotational beam, compensators, electron beam; 20MeV or greater			77412	RADIATION TREATMENT DELIVERY, >1 MEV; COMPLEX
G6015 (requires pre-authorization)	Intensity modulated treatment delivery, single or multiple fields/arcs, via narrow spatially and temporally modulated beams, binary, dynamic MLC, per treatment session			77385 (requires pre-authorization)	INTENSITY MODULATED RADIATION TREATMENT DELIVERY (IMRT), INCLUDES GUIDANCE AND TRACKING, WHEN PERFORMED; SIMPLE
				77386 (requires pre-authorization)	INTENSITY MODULATED RADIATION TREATMENT DELIVERY (IMRT), INCLUDES GUIDANCE AND TRACKING, WHEN PERFORMED; COMPLEX
G6016 (requires pre-authorization)	Compensator-based beam modulation treatment delivery of inverse planned treatment using 3 or more high resolution (milled or cast) compensator, convergent beam modulated fields, per treatment session			77385 (requires pre-authorization)	INTENSITY MODULATED RADIATION TREATMENT DELIVERY (IMRT), INCLUDES GUIDANCE AND TRACKING, WHEN PERFORMED; SIMPLE

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
Drug Toxicology Coding					
BCBSNC will reimburse for <u>one HCPCS (G code)</u> <u>OR one CPT</u> code in the <u>same category</u>, but not both, for the same date of service					
G0480	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 1-7 drug class(es), including metabolite(s) if performed			80355 or	GABAPENTIN, NON-BLOOD
OR	OR			80356	HEROIN METABOLITE
G0481	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day,			80357	KETAMINE AND NORKETAMINE

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
OR	8-14 drug class(es), including metabolite(s) if performed				
				80359	METHYLENEDIOXYAMPHETAMINES (MDA, MDEA, MDMA)
G0482	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 15-21 drug class(es), including metabolite(s) if performed.)			80360	METHYLPHENIDATE
OR	OR			80366	PREGABALIN
G0483	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 22 or more drug class(es), including metabolite(s) if performed.			80367	PROPOXYPHENE

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
<p style="text-align: center;">OR</p> <p style="text-align: center;">G0659</p>	<p style="text-align: center;">OR</p> <p>Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem), excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase), performed without method or drug-specific calibration, without matrix-matched quality control material, or without use of stable isotope or other universally recognized internal standard(s) for each drug, drug metabolite or drug class per specimen; qualitative or quantitative, all sources, includes specimen validity testing, per day, any number of drug classes</p>			80371	STIMULANTS, SYNTHETIC
G0480	<p>Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem) and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol</p>			80332	ANTIDEPRESSANTS, SEROTONERGIC CLASS; 1 OR 2

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
OR	dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 1-7 drug class(es), including metabolite(s) if performed				
				80333	ANTIDEPRESSANTS, SEROTONERGIC CLASS; 3-5
G0481	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 8-14 drug class(es), including metabolite(s) if performed			80334	ANTIDEPRESSANTS, SEROTONERGIC CLASS; 6 OR MORE
OR	OR			80348	BUPRENORPHINE
G0482	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or			80349	CANNABINOIDS, NATURAL
				80350	CANNABINOIDS, SYNTHETIC; 1-3

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
OR G0483 OR G0659	quantitative, all sources, includes specimen validity testing, per day, 15-21 drug class(es), including metabolite(s) if performed.)				
	OR			80351	CANNABINOIDS, SYNTHETIC; 4-6
	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 22 or more drug class(es), including metabolite(s) if performed			80352	CANNABINOIDS, SYNTHETIC; 7 OR MORE
OR	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem), excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase), performed without method or drug-specific				

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
	calibration, without matrix-matched quality control material, or without use of stable isotope or other universally recognized internal standard(s) for each drug, drug metabolite or drug class per specimen; qualitative or quantitative, all sources, includes specimen validity testing, per day, any number of drug classes				
G0480	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 1-7 drug class(es), including metabolite(s) if performed			80374	STEREISOIMER (ENANTIOMER) ANALYSIS, SINGLE DRUG CLASS
OR	OR			80335	ANTIDEPRESSANTS, TRICYCLIC AND OTHER CYCLICALS; 1 OR 2
G0481	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA,			80336	ANTIDEPRESSANTS, TRICYCLIC AND OTHER CYCLICALS; 3-5

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
OR	EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 8-14 drug class(es), including metabolite(s) if performed				
	OR			80337	ANTIDEPRESSANTS, TRICYCLIC AND OTHER CYCLICALS; 6 OR MORE
G0482	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 15-21 drug class(es), including metabolite(s) if performed.)			80338	
OR	OR			80335	ANTIDEPRESSANTS, NOT OTHERWISE SPECIFIED ANTIDEPRESSANTS, TRICYCLIC AND OTHER CYCLICALS; 1 OR 2
G0483	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single			80346	BENZODIAZEPINES; 1-12
				80347	BENZODIAZEPINES; 13 OR MORE

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
<p style="text-align: center;">OR</p> <p style="text-align: center;">G0659</p>	<p>or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 22 or more drug class(es), including metabolite(s) if performed</p> <p style="text-align: center;">OR</p> <p>Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem), excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase), performed without method or drug-specific calibration, without matrix-matched quality control material, or without use of stable isotope or other universally recognized internal standard(s) for each drug, drug metabolite or drug class per specimen; qualitative or quantitative, all sources, includes specimen validity testing, per day, any number of drug classes</p>				
<p style="text-align: center;">G0480</p>	<p>Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and</p>			<p style="text-align: center;">80375</p>	<p style="text-align: center;">DRUG(S) OR SUBSTANCE(S), DEFINITIVE, QUALITATIVE OR QUANTITATIVE, NOT OTHERWISE SPECIFIED; 1-3</p>

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
G0481	<p>distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 1-7 drug class(es), including metabolite(s) if performed</p> <p>OR</p> <p>OR</p> <p>Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 8-14 drug class(es), including metabolite(s) if performed</p>			80376	DRUG(S) OR SUBSTANCE(S), DEFINITIVE, QUALITATIVE OR QUANTITATIVE, NOT OTHERWISE SPECIFIED; 4-6
				80377	DRUG(S) OR SUBSTANCE(S), DEFINITIVE, QUALITATIVE OR QUANTITATIVE, NOT OTHERWISE SPECIFIED; 7 OR MORE
				80329	ANALGESICS, NON-OPIOID; 1 OR 2
				80330	ANALGESICS, NON-OPIOID; 3-5
				80331	ANALGESICS, NON-OPIOID; 6 OR MORE
				80320	ALCOHOLS
				80321	ALCOHOL BIOMARKERS; 1 OR 2
				80322	ALCOHOL BIOMARKERS; 3 OR MORE

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
OR	OR			80323	ALKALOIDS, NOT OTHERWISE SPECIFIED
G0482	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem) and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 15-21 drug class(es), including metabolite(s) if performed.)			80324	AMPHETAMINES; 1 OR 2
OR	OR			80325	AMPHETAMINES; 3 OR 4
G0483	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem) and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day,			80326	AMPHETAMINES; 5 OR MORE

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
<p style="text-align: center;">OR</p> <p style="text-align: center;">G0659</p>	<p>22 or more drug class(es), including metabolite(s) if performed</p> <p style="text-align: center;">OR</p> <p>Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem), excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase), performed without method or drug-specific calibration, without matrix-matched quality control material, or without use of stable isotope or other universally recognized internal standard(s) for each drug, drug metabolite or drug class per specimen; qualitative or quantitative, all sources, includes specimen validity testing, per day, any number of drug classes</p>				
<p style="text-align: center;">G0480</p>	<p>Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA,</p>			<p style="text-align: center;">80345</p>	<p style="text-align: center;">BARBITURATES</p>

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
OR	EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 1-7 drug class(es), including metabolite(s) if performed				
				80353	COCAINE
G0481	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 8-14 drug class(es), including metabolite(s) if performed			80361	OPIATES, 1 OR MORE
OR				80362	OPIOIDS AND OPIATE ANALOGS; 1 OR 2
				80363	OPIOIDS AND OPIATE ANALOGS; 3 OR 4
				80364	OPIOIDS AND OPIATE ANALOGS; 5 OR MORE
				80327	ANABOLIC STEROIDS; 1 OR 2
G0482	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single			80328	ANABOLIC STEROIDS; 3 OR MORE

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
	or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 15-21 drug class(es), including metabolite(s) if performed.)				
OR	OR			80339	ANTIEPILEPTICS, NOT OTHERWISE SPECIFIED; 1-3
				80340	ANTIEPILEPTICS, NOT OTHERWISE SPECIFIED; 4-6
G0483	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 22 or more drug class(es), including metabolite(s) if performed			80341	ANTIEPILEPTICS, NOT OTHERWISE SPECIFIED; 7 OR MORE
OR	OR				
G0659	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and				

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
	distinguish between structural isomers (but not necessarily stereoisomers), including but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem), excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase), performed without method or drug-specific calibration, without matrix-matched quality control material, or without use of stable isotope or other universally recognized internal standard(s) for each drug, drug metabolite or drug class per specimen; qualitative or quantitative, all sources, includes specimen validity testing, per day, any number of drug classes				
G0480	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 1-7 drug class(es), including metabolite(s) if performed			80368	SEDATIVE HYPNOTICS (NON-BENZODIAZEPINES)
				80369	SKELETAL MUSCLE RELAXANTS; 1 OR 2
				80370	SKELETAL MUSCLE RELAXANTS; 3 OR MORE
OR	OR				

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
G0481	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 8-14 drug class(es), including metabolite(s) if performed			80358	METHADONE
				80323	ALKALOIDS, NOT OTHERWISE SPECIFIED
OR	OR			80354	FENTANYL
				80365	OXYCODONE
				80372	TAPENTADOL
G0482	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 15-21 drug class(es), including metabolite(s) if performed.)				

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
OR	OR			80373	TRAMADOL
G0483	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)); qualitative or quantitative, all sources, includes specimen validity testing, per day, 22 or more drug class(es), including metabolite(s) if performed			80342	ANTIPSYCHOTICS, NOT OTHERWISE SPECIFIED; 1-3
				80343	ANTIPSYCHOTICS, NOT OTHERWISE SPECIFIED; 4-6
OR	OR			80344	ANTIPSYCHOTICS, NOT OTHERWISE SPECIFIED; 7 OR MORE
G0659	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem), excluding immunoassays (eg, IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase), performed without method or drug-specific calibration, without matrix-				

2017 HCPCS code	Description	HCPCS /CPT Codes Deleted for 2017	Description	2017 CPT Code	Description
	<p>matched quality control material, or without use of stable isotope or other universally recognized internal standard(s) for each drug, drug metabolite or drug class per specimen; qualitative or quantitative, all sources, includes specimen validity testing, per day, any number of drug classes</p>				