

ATTENTION- DEFICIT HYPERACTIVITY DISORDER (ADHD) QUANTITY LIMITATION UTILIZATION MANAGEMENT CRITERIA

DRUG CLASS: Stimulants and Non-Stimulants

BRAND (generic) NAMES: Adderall[®] (amphetamine/dextroamphetamine)

Adderall XR® (amphetamine/ dextroamphetamine ER) Adzenys XR-ODTTM (amphetamine ER dispersible)

Aptensio XR® (methylphenidate ER) Concerta® (methylphenidate ER)

Daytrana® (methylphenidate transdermal patch)

Dextroampthetamine (DextroStat®) Dexedrine® (dextroamphetamine ER) Dyanavel[™] XR (amphetamine ER) Focalin XR® (dexmethylphenidate ER)

Focalin® (dexmethylphenidate) Intuniv® (guanfacine ER)

Kapvay® (clonidine ER)

Metadate CD® (methylphenidate ER) Metadate ER® (methylphenidate ER)

Methylin® (methylphenidate) Procentra® (dextroamphetamine) QuillichewTM (methylphenidate ER) Quillivant XR® (methylphenidate ER)

Ritalin® (methylphenidate)

Ritalin® LA (methylphenidate ER) Ritalin[®] SR (methylphenidate ER)

Strattera® (atomoxetine)

Vyvanse® (lisdexamphetamine) Zenzedi® (dextroamphetamine)

COVERAGE AUTHORIZATION CRITERIA

Non-formulary medications - Medications included in this criterion that are not part of ASO Net Results or Essential Formularies are subject to a trial and failure of up to **TWO** formulary alternatives that are clinically appropriate, to treat the same condition, prior to approval (see Non-formulary Exception Criteria for detailed limitations).

Quantities above the program set limit (see pgs 2-4) for ADHD agents will be approved when the following is met:

- 1. The quantity (dose) requested is for documented titration purposes at the initiation of therapy (authorization for a 90 day titration period); AND
- 2. The prescribed dose cannot be achieved using a lesser quantity of a higher strength; AND
- 3. The quantity (dose) requested does not exceed the maximum FDA labeled dose, when specified, or to the safest studied dose per the manufacturer's product insert: OR

Page 1

Last Revision Date: February 2017

- 4. If the quantity (dose) requested exceeds the maximum FDA labeled dose, when specified, or to the safest studied dose per the manufacturer's product insert, then the prescriber must submit documentation in support of therapy with a higher dose for the intended diagnosis (submitted documentation may include medical records OR fax form which reflects medical record documentation that shows the length of time the requested dose has been used, and what other medications and doses have been tried and failed); AND
- 5. For members whose products are marked as Restricted Access on the Basic Open and Essential Formularies have additional requirements of;
 - a) FDA approved indication; AND
 - b) A trial and failure of **TWO** unrestricted medications; **OR**
 - c) A clinical contraindication/intolerance to those medication not been tried. Referenced policy found: www.bcbsnc.com/assets/services/public/pdfs/formulary/Restricted_Access_ESBO.pdf

Durration of Approval: 365 days

QUANTITY LIMITS

Medication Name/Strength	Quantity Limit per Day	Recommended Dosing per FDA Label	Max Daily Dose/Maximum Dose Studied per FDA Label			
Adderall (amphetamine)						
5mg	Adderali (allip	ADHD: 40mg/day	ADHD (Pediatric and Adults): Not			
7.5mg	3 tablets		to exceed 40mg/day except only			
10mg	3 tablets	Narcolepsy: 60mg/day in	in rare cases			
12.5mg		divided doses				
15mg	2 tablets		Narcolepsy: 60mg/day in divided			
20mg	3 tablets		doses			
30mg	2 tablets					
	Adderall XR (amphetami	ne/ dextroamphetamine extended				
5mg		Pediatric (6-17 yoa): 30mg daily	Pediatric (6-17 yoa): 10mg to			
10mg			40mg per day studied; no			
15mg		Adults: 20mg QAM	adequate evidence that doses			
20mg	1 capsule		greater than 20mg/day conferred			
25mg			additional benefit			
30mg						
			Adults: 20mg to 60mg per day			
			studied; no adequate evidence			
			that doses greater than 20mg/day			
			conferred additional benefit			
	Adzenys XR-OD	T (amphetamine ER dispersible)	<u> </u>			
3.1mg		Pediatric (6-12 yoa) :	Pediatric (6-12 yoa):			
6.3mg		6.3 mg to 18.8 mg once daily	18.8 mg once daily			
9.4 mg	1 tablet					
12.5mg		Pediatric (13-17 yoa) :	Pediatric (13-17 yoa) :			
15.7mg		6.3 mg to 12.5 mg once daily	12.5 mg once daily			
18.8mg						
· ·		Adults: 12.5 mg once daily	Adults: 18.8 mg once daily			
	Aptensio XR (m	ethylphenidate extended release)	I			
10mg	,	ADHD (≥6 yoa): 10-60mg/day;	ADHD (Pediatric and Adults):			
15mg		one capsule in the AM	Doses greater than 60mg per day			
20mg			have not been studied and are not			
30mg	1 capsule		recommended			
40mg						
50mg						
60mg						
-	Concerta (met	hylphenidate extended release)				

BLUE CROSS®, BLUE SHIELD® and the Cross and Shield Symbols are registered marks of the Blue Cross and Blue Shield Association, an association of independent Blue Cross and Blue Shield Plans. BCBSNC is an independent licensee of the Blue Cross and Blue Shield Association. All other marks are the property of their respective owners.

10ma	1 toblot	Podiatria (6.12) (20): 19mg to	Padiatria (6.12) (20): Dagge granter				
18mg	1 tablet	Pediatric (6-12yoa): 18mg to 54mg once daily	Pediatric (6-12yoa): Doses greater than 54mg per day have not been				
27mg	Otablata	54ring office daily	studied and are not recommended				
36mg	2 tablets	Pediatric (13-17yoa): 18mg to	Studied and are not recommended				
54mg	1 tablet	72mg once daily	Pediatric (13-17yoa): Doses				
		72mg once daily	greater than 72mg per day have				
		Adults (18-65yoa): 18mg to	not been studied and are not				
		72mg once daily	recommended				
		72mg once daily	recommended				
			Adults (18-65yoa): Doses greater				
			than 72mg per day have not been				
			studied and are not recommended				
	Daytrana (m	nethylphenidate transdermal patch)	1				
10mg/9hr			Doses greater than 30mg/9hr				
15mg/9hr	4 matak	10 m m to 20 m m/0h m m otoh	were not studied				
20mg/9hr	1 patch	10mg to 30mg/9hr patch					
30mg/9hr							
J	Dext	roamphetamine (DextroStat)					
5mg	2 tablets	Narcolepsy: 5-60mg/day in	ADHD: Per FDA label, only in rare				
10mg	6 tablets	divided doses	cases will it be necessary to				
			exceed a total of 40 mg per day.				
		ADHD: 40mg/day					
	Dexedrine (dextroamphetamine extended release)						
5mg	3 capsules	Narcolepsy: 5-60mg/day in	ADHD: Per FDA label, only in rare				
10mg	4 capsules	divided doses.	cases will it be necessary to				
15mg	4 capsules	A DU ID: 40 m m/d m :	exceed a total of 40 mg per day.				
		ADHD: 40mg/day					
	Dvanavel X	R (amphetamine extended release)	<u> </u>				
2.5mg per 1mL	8 mL	ADHD: In children 6 years of	ADHD: Per FDA label, daily doses				
zionig por iniz	3 <u>2</u>	age and older, recommended	above 20mg are not				
		starting dose is 2.5 mg or 5 mg	recommended.				
		once daily in the morning.					
		Dosage may be increased in					
		increments of 2.5 mg to 10 mg					
		per day every 4 to 7 days until					
		optimal response is obtained.					
			,				
5mg	Focalin XR (de	exmethylphenidate extended release					
ong	Focalin XR (de	Recommended for once daily	Per FDA label, doses above				
10mg	Focalin XR (de		Per FDA label, doses above 30mg/day in pediatrics and				
	Focalin XR (de	Recommended for once daily dosing.	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been				
10mg		Recommended for once daily	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not				
10mg 15mg	Focalin XR (de	Recommended for once daily dosing. Adults: Up to 40mg/day	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been				
10mg 15mg 20mg		Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not				
10mg 15mg 20mg 25mg		Recommended for once daily dosing. Adults: Up to 40mg/day	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not				
10mg 15mg 20mg 25mg 30mg		Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not				
10mg 15mg 20mg 25mg 30mg 35mg	1 capsule	Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not				
10mg 15mg 20mg 25mg 30mg 35mg	1 capsule	Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to 30mg/day	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not				
10mg 15mg 20mg 25mg 30mg 35mg 40mg	1 capsule	Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to 30mg/day calin (dexmethylphenidate)	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not recommended. Per FDA label, the maximum recommended dose is 20mg/day				
10mg 15mg 20mg 25mg 30mg 35mg 40mg	1 capsule Foo 3 tablets	Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to 30mg/day calin (dexmethylphenidate) Administered twice daily at least 4 hours apart.	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not recommended. Per FDA label, the maximum				
10mg 15mg 20mg 25mg 30mg 35mg 40mg	1 capsule Foo 3 tablets 3 tablets	Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to 30mg/day calin (dexmethylphenidate) Administered twice daily at least	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not recommended. Per FDA label, the maximum recommended dose is 20mg/day				
10mg 15mg 20mg 25mg 30mg 35mg 40mg	1 capsule Foo 3 tablets 3 tablets	Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to 30mg/day Calin (dexmethylphenidate) Administered twice daily at least 4 hours apart. Adults: 20mg/day	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not recommended. Per FDA label, the maximum recommended dose is 20mg/day				
10mg 15mg 20mg 25mg 30mg 35mg 40mg	1 capsule Foc 3 tablets 3 tablets 2 tablets	Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to 30mg/day Calin (dexmethylphenidate) Administered twice daily at least 4 hours apart. Adults: 20mg/day Children (6-17yoa): 20mg/day	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not recommended. Per FDA label, the maximum recommended dose is 20mg/day				
10mg 15mg 20mg 25mg 30mg 35mg 40mg 2.5mg 5mg 10mg	1 capsule Foc 3 tablets 3 tablets 2 tablets	Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to 30mg/day Calin (dexmethylphenidate) Administered twice daily at least 4 hours apart. Adults: 20mg/day	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not recommended. Per FDA label, the maximum recommended dose is 20mg/day (10mg twice daily).				
10mg 15mg 20mg 25mg 30mg 35mg 40mg 2.5mg 5mg 10mg	1 capsule Foc 3 tablets 3 tablets 2 tablets	Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to 30mg/day Calin (dexmethylphenidate) Administered twice daily at least 4 hours apart. Adults: 20mg/day Children (6-17yoa): 20mg/day (guanfacine extended release)	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not recommended. Per FDA label, the maximum recommended dose is 20mg/day (10mg twice daily). Per the FDA label, doses above				
10mg 15mg 20mg 25mg 30mg 35mg 40mg 2.5mg 5mg 10mg	1 capsule Foc 3 tablets 3 tablets 2 tablets	Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to 30mg/day Calin (dexmethylphenidate) Administered twice daily at least 4 hours apart. Adults: 20mg/day Children (6-17yoa): 20mg/day (guanfacine extended release) 1-4mg once daily in the AM or	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not recommended. Per FDA label, the maximum recommended dose is 20mg/day (10mg twice daily). Per the FDA label, doses above 4mg/day have not been				
10mg 15mg 20mg 25mg 30mg 35mg 40mg 2.5mg 5mg 10mg	1 capsule Foc 3 tablets 3 tablets 2 tablets	Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to 30mg/day Calin (dexmethylphenidate) Administered twice daily at least 4 hours apart. Adults: 20mg/day Children (6-17yoa): 20mg/day (guanfacine extended release)	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not recommended. Per FDA label, the maximum recommended dose is 20mg/day (10mg twice daily). Per the FDA label, doses above 4mg/day have not been systematically studied in				
10mg 15mg 20mg 25mg 30mg 35mg 40mg 2.5mg 5mg 10mg	1 capsule Foc 3 tablets 3 tablets 2 tablets Intuniv	Recommended for once daily dosing. Adults: Up to 40mg/day Children(6-17yoa): Up to 30mg/day Calin (dexmethylphenidate) Administered twice daily at least 4 hours apart. Adults: 20mg/day Children (6-17yoa): 20mg/day (guanfacine extended release) 1-4mg once daily in the AM or	Per FDA label, doses above 30mg/day in pediatrics and 40mg/day in adults have not been studied and are not recommended. Per FDA label, the maximum recommended dose is 20mg/day (10mg twice daily). Per the FDA label, doses above 4mg/day have not been				

BLUE CROSS®, BLUE SHIELD® and the Cross and Shield Symbols are registered marks of the Blue Cross and Blue Shield Association, an association of independent Blue Cross and Blue Shield Plans. BCBSNC is an independent licensee of the Blue Cross and Blue Shield Association. All other marks are the property of their respective owners.

0.4						
0.1mg	4 tablets	_	Per FDA label, doses greater than			
0.2mg	Only available in starter	0.2mg given twice daily	0.4mg/day were not evaluated in			
	pack		clinical trials for ADHD and are not			
			recommended.			
Metadate CD (methylphenidate extended release)						
10mg		Administered once daily in the	Per FDA label, daily dosage			
20mg		morning. Up to 60mg/day.	above 60mg is not recommended.			
30mg						
40mg	1 capsule					
50mg						
60mg						
3						
	Metadate ER (n	nethylphenidate extended release)				
10mg			Children ≥6yo: Per FDA label,			
20mg	3 tablets	Up to 60mg/day	daily dosage above 60mg/day is not recommended.			
	Methylin Chew T	abs and Solution (methylphenidate				
2.5mg	3 chewable tablets	20 to 30mg/day in 2 or 3 divided	Children ≥6yo: Per FDA label,			
5mg	3 chewable tablets	doses. Can titrate to 40 to	daily dosage above 60mg/day is			
10mg	6 chewable tablets	60mg/day	not recommended.			
5mg/5mL	15mL					
10mg/5mL	30mL	\dashv				
romg/omL		otra (dovtroamphetamina)				
Ema/Emi		htra (dextroamphetamine)	ADHD: Bor EDA lobal anti-in-			
5mg/5mL	60mL	Narcolepsy: Up to 60mg/day in	ADHD: Per FDA label, only in rare			
		divided doses	cases will it be necessary to			
		ABUB 11 4 40 41	exceed a total of 40mg/day.			
		ADHD: Up to 40mg/day				
		nethylphenidate extended release				
20mg	1 tablet	ADHD: For patients 6 years and	Per the FDA label, daily dosage			
30mg	2 tablets	above, recommended starting	above 60 mg is not			
40mg	1 tablet	dose is 20 mg given orally once	recommended.			
		daily in the morning; may be				
		increased weekly in increments				
		of 10 mg to 20 mg per day.				
		nethylphenidate extended release)				
25 mg/5 mL	60mg or 12mL	ADHD: For patients 6 years and	ADHD: Per FDA label, dosage			
		above, recommended starting	>60mg/day is not recommended.			
		dose is 20 mg given orally once	Doses up to 60mg/day were			
		daily in the morning; may be	studied in clinical trials.			
		increased weekly in increments				
		of 10 mg to 20 mg per day.				
		Daily dosage above 60 mg is				
		not recommended.				
	Rita	alin (methylphenidate)				
5mg		20 to 30mg/day in 2 or 3 divided	Children ≥6yo:Per FDA label, daily			
10mg	3 tablets	doses. Can titrate to 40 to	doses above 60mg/day is not			
20mg	O tabloto	60mg/day	recommended.			
_onig	Ritalin I A (me	ethylphenidate extended release)	1			
10mg			Per FDA label: daily dosage			
10mg	1 capsule	The recommended starting				
20mg	1 capsule	dose is 20mg once daily. Daily	above 60mg is not recommended.			
30mg	2 capsules	dosage above 60mg is not				
40mg	1 capsule	recommended.				
60mg	1 capsule					
		ethylphenidate extended release)				
20mg	3 tablets	60mg/day	Children ≥6yo: Per FDA label,			
			daily doses above 60mg/day is			
			not recommended.			
	St	rattera (atomoxetine)				
10mg		Children and adolescents up to	Children and adolescents: Doses			
18mg		70kg: target daily dose	of 0.5 to 1.8mg/kg/day were			
25mg	2 capsules	1.2mg/kg and a max daily dose	studied; 1.8mg/kg/day dose did			
		of 1.4mg/kg	not provide any additional benefit			
40mg		51 11 mg/ng	over that observed with the			
60mg	4 1	\dashv	1.2mg/kg/day dose.			
80mg	1 capsule		1.2mg/kg/day dose.			

BLUE CROSS®, BLUE SHIELD® and the Cross and Shield Symbols are registered marks of the Blue Cross and Blue Shield Association, an association of independent Blue Cross and Blue Shield Plans. BCBSNC is an independent licensee of the Blue Cross and Blue Shield Association. All other marks are the property of their respective owners.

100mg		Children and adolescents over 70kg and adults: target daily dose 80mg with a max daily dose of 100mg Dose adj: Hepatic impairment, CYP2D6 inhibitor.	Adults: Doses of 60 to 120mg/day were studied; mean final dose was approximately 95mg/day.			
Vyvanse (lisdexamphetamine)						
10mg 20mg 30mg		Recommended starting dose is 30mg QD; maximum daily dose of 70mg QD	Per the FDA label, doses >70mg/day were not studied in clinical trials. Only once daily			
40mg 50mg 60mg 70mg	1 capsule		doses were studied.			
Zenzedi (dextroamphetamine)						
2.5mg	3 tablets	Narcolepsy: Up to 60mg/day	ADHD: Per FDA label, only in rare			
5mg	2 tablets		cases will it be necessary to			
7.5mg	8 tablets	ADHD: Up to 40mg/day	exceed a total of 40mg/day.			
10mg	6 tablets					
15mg	2 tablets					
20mg	3 tablets	<u> </u>				
30mg	2 tablets					

POLICY IMPLEMENTATION/UPDATE INFORMATION

February 2017: referenced policy for Basic Open and Essential formulary Restricted Access policy; added provision for titration in quantity limit exception criteria.

January 2017: Zedzeni 2.5 QL adjusted to 3 as it was erroneously marked as 6.

January 2017: Reviewed for ASO Net Results and Essential Formularies; Non-formulary verbiage added.

March 2016: Added new to market drug, Adzenys XR-ODT

February 2016: Added new to market medications, Dynavel XR and Quillicher ER to the policy.

August 2015: Revision - Evekeo and Desoxyn removed from the ADHD QL criteria and added to their own program with ADHD QL and Short Term Weight Loss PA

Non-Discrimination and Accessibility Notice

Discrimination is Against the Law

- Blue Cross and Blue Shield of North Carolina ("BCBSNC") complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.
- BCBSNC does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

Last Revision Date: February 2017

BCBSNC:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages
- If you need these services, contact Customer Service 1-888-206-4697, TTY and TDD, call

1-800-442-7028.

- If you believe that BCBSNC has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:
 - ▶ BCBSNC, PO Box 2291, Durham, NC 27702, Attention: Civil Rights Coordinator- Privacy, Ethics & Corporate Policy Office, Telephone 919-765-1663, Fax 919-287-5613, TTY 1-888-291-1783 civilrightscoordinator@bcbsnc.com
- You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, Civil Rights Coordinator - Privacy, Ethics & Corporate Policy Office is available to help you.
- You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at https://ocrportal.hhs.gov/ocr/portal/lobby.jsf, or by mail or phone at: U.S. Department of Health and Human Services 200 Independence Avenue, SW Room 509F, HHH Building Washington, D.C. 20201 1-800-368-1019, 800-537-7697 (TDD). Complaint forms are available at http://www.hhs.gov/ocr/office/file/index.html.
- This Notice and/or attachments may have important information about your application or coverage through BCBSNC. Look for key dates. You may need to take action by certain deadlines to keep your health coverage or help with costs. You have the right to get this information and help in your language at no cost. Call Customer Service 1-888-206-4697.

ATTENTION: If you speak another language, language assistance services, free of charge, are available to you. Call 1-888-206-4697 (TTY: 1-800-442-7028). ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-888-206-4697 (TTY: 1-800-442-7028).

注意: 如果您講廣東話或普通話, 您可以免費獲得語言援助服務。請致電 1-888-206-4697

(TTY:1-800-442-7028) °

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Goi số

1-888-206-4697 (TTY: 1-800-442-7028).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1-888-206-4697 (TTY: 1-800-442-7028)번으로 전화해 주십시오.

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1-888-206-4697 (ATS : 1-800-442-7028).

ملحوظة: إذا كنت تتحدث اللغة العربية، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1808-462-888. المبرقة الكاتبة: 8207-442-800.

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau

1-888-206-4697 (TTY: 1-800-442-7028).

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-888-206-4697 (телетайп: 1-800-442-7028).

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-888-206-4697 (TTY: 1-800-442-7028).

સુચના: જો તમે ગુજરાતી બોલતા હો, તો નિ:સુલ્કુ ભાષા સહ્યય સેવાઓ તમારા માટે ઉપલબ્ધ છે. ક્રોન કરો

1-888-206-4697 (TTY: 1-800-442-7028).

ចំណាំ៖ ប្រសិនបើលោកអ្នកនិយាយជាភាសាខ្មែរ សេវាកម្មជំនួយផ្នែកភាសាមានផ្ដល់ជូនសម្រាប់លោកអ្នកដោយមិនគិតផ្ដៃ។ សូមទំនាក់ទំនងតាមរយៈលេខ៖ 1-888-206-4697 (TTY: 1-800-442-7028)។

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1-888-206-4697 (TTY: 1-800-442-7028).

ध्यान दें: यदि आप हिन्दी बोलते हैं तो आपके लिए मुफ्त में भाषा सहायता सेवाएं उपलब्ध हैं। 1-888-206-4697 (TTY: 1-800-442-7028) पर कॉल करें।

ໂປດຊາບ: ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສັງຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທຣ 1-888-206-4697 (TTY: 1-800-442-7028).

注意事項:日本語を話される場合、無料の言語支援をご利用いただけます。1-888-206-4697(TTY:1-800-442-7028)まで、お電話にてご連絡ください。